1973 2023 50 YEARS

fumagalli®

since 1973

MADE IN ITALY

TOP SELECTION GARDEN 2024

CLASSIC RANGE + MODERN RANGE + SOLAR RANGE

CLASSIC RANGE

	REVIVAL	HEXAGONAL	SQUARE	GLOBES
GARDEN SMALL	ROBY NEW pag.13; GL250 MODERN NEW pag.21	ANNA pag.29; SABA pag.33	MARY pag.37	GL250 CLASSIC pag.41
GARDEN MEDIUM	DARIO NEW pag.17; Gl 300 MODERN NEW pag.25	RUT pag.45; SALEM pag.48	GOLIA pag.53; CEFA pag.57	GL300 CLASSIC pag.61
GARDEN LARGE		NOEMI pag.65; SILOE pag.69	TOBIA pag.73; SIMON pag.77	
HALF LANTERN	FABIO NEW pag.11	IESSE pag.81; DARIA pag.81		
BOLLARD	SAURO E27 pag.83; MIRELLA E27 pag.83	SAURO GX53 pag.85; MIRELLA GX53 pag.85		



MODERN RANGE

BOLLARD

DOWNLIGHT

UP&DOWN

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BULKHEAD

POST

ALDO
for details see pag.139

CARLO 800
for details see pag.91

MAMETE
for details see pag.117

LIVIA 60
for details see pag.113

TERESA 90
for details see pag.110

ABRAM150
for details see pag.119

MINITOMMY-EL
for details see pag.129

LUCIA
for details see pag.169

ESTER 500
for details see pag.99

SOLAR RANGE

MODERN

JOSEPHA
pag.181

FIORINA
pag.183

FORTUNATO
pag.183

FELICE
pag.185

SANTINA
pag.187

CLASSIC

ROSETTA
pag.189

fumagalli since 1973 **NEW**

MADE IN ITALY

SAVE UP TO 40% VOLUME

SINGLE BOX

SMART PACK

- SAVE UP TO 40% VOLUME
- ECO-FRIENDLY PACKAGING
- FILM WRAPPED ITEMS

AVAILABLE FOR:

FABIO
pag.11

IESSE
pag.81

TERESA 90
pag.110

FRANCY
pag.127

FRANCY-OP
pag.127

BERTA
pag.157

UMBERTA
pag.159

LUCIA
pag.169

MADDI
pag.171

PROMO GARDEN 2023 - CLASSIC RANGE

fumagalli®
since 1973

BISSO/ANNA
for details see pag. 28

IESSE
for details see pag. 81

NEW
GREY COLOUR AVAILABLE

NARDO/ROBY
for details see pag. 13

FABIO
for details see pag.11

NEW
HALF LANTERN FABIO

DISMA/ROBY
for details see pag. 13

NEW
POST DINO

DINO/DARIO
for details see pag. 20

MIKROLOT/MARY
for details see pag. 37

SICAR/G250
for details see pag. 21

NEW
SICAR IN GREY COLOUR

NARDO/G250
for details see pag. 21

FABIO
HALF LANTERN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

M20.000.V1K

NEW
GREY COLOUR AVAILABLE

SMART PACK AVAILABLE

UV TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

HALF LANTERN

AVAILABLE COLORS	
RESIN BODY	DIFFUSER

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



FABIO

E27	M21.000.E27	SMART PACK
E27	M20.000.E27	SINGLE BOX
6,5W FILAMENT 2700K	M20.000.F1R	SINGLE BOX
8,5W CCT SET	M20.000.V1K	SINGLE BOX



Standard Master box: ***18pcs***
Smart Pack Master box: ***24pcs***

FABIO - AVAILABLE VERSIONS

FABIO E27 — SINGLE BOX



cbm: **0,16**
Master box: **18 pcs**

FABIO E27 — SMART PACK

SAVE 35% VOLUME

- ✓ Save **35%** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

cbm: **0,14**
Master box: **24 pcs**

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

ROBY RANGE
SMALL SIZE

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

NEW
GREY COLOUR AVAILABLE

T20.240

U.V. STABILIZED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

SMALL SIZE

ROBY RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
NEW COLOUR	
BLACK (A) · GREY (L) · WHITE (W)	CLEAR (X) · OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET	= 75W INCANDESCENT	= 60W INCANDESCENT

NARDO/ROBY

6,5W 2700K FILAMENT	T20.240.F1R
8,5W CCT SET	T20.240.V1K
E27	T20.240.E27



Master box: ***18pcs***

DISMA/ROBY

6,5W 2700K FILAMENT	T20.114.F1R
8,5W CCT SET	T20.114.V1K
E27	T20.114.E27



Master box: ***18 pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

ROBY RANGE
SMALL SIZE

fumagalli® since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

U.V. TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II

fumagalli® since 1973

SMALL SIZE

ROBY RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
NEW COLOUR	
BLACK (A) · GREY (L) · WHITE (W)	CLEAR (X) · OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET	= 75W INCANDESCENT	= 60W INCANDESCENT



GIAFFA/ROBY

6,5W 2700K FILAMENT	T20.242.F1R
8,5W CCT SET	T20.242.V1K



SICAR/ROBY

6,5W 2700K FILAMENT	T20.125.F1R
8,5W CCT SET	T20.125.V1K
E27	T20.125.E27





Master box: ***18 pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

DARIO RANGE
MEDIUM SIZE

fumagalli® since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

NEW
GREY COLOUR AVAILABLE

T24.114

U.V. STABILIZED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli® since 1973

MEDIUM SIZE

DARIO RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), GREY (L) NEW COLOUR, WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



NARDO/DARIO

6,5W 2700K FILAMENT	T24.240.F1R
8,5W CCT SET	T24.240.V1K
E27	T24.240.E27



Master box: **12pcs**

DISMA/DARIO

6,5W 2700K FILAMENT	T24.114.F1R
8,5W CCT SET	T24.114.V1K
E27	T24.114.E27



Master box: **12pcs**

SICAR/DARIO

6,5W 2700K FILAMENT	T24.125.F1R
8,5W CCT SET	T24.125.V1K
E27	T24.125.E27





Master box: **12 pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

DARIO RANGE
MEDIUM SIZE

fumagalli® since 1973

MADE IN ITALY

6,5W	8,5W	11W
800 lm	920 lm	1200 lm
2700 K	2700 K / 4000 K	6500 K

More details at page 191

NEW
GREY COLOUR AVAILABLE

T24.306.V1K

U.V. TREATED · ANTI SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli® since 1973

MEDIUM SIZE

DARIO RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



GIAFFA/DARIO

6,5W 2700K FILAMENT	T24.242.F1R
8,5W CCT SET	T24.242.V1K



DINO/DARIO

6,5W 2700K FILAMENT	T24.306.F1R
8,5W CCT SET	T24.306.V1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GLOBE 250 RANGE
MODERN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W	11W
800 lm	920 lm	1200 lm
2700 K	2700 K / 4000 K	6500 K

More details at page 191

NEW
GREY COLOUR AVAILABLE

G26.240

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

SMALL SIZE

GLOBE 250 MODERN

AVAILABLE COLORS		
RESIN BODY		DIFFUSER
BLACK (A)	GREY (L) NEW COLOUR	WHITE (W)
CLEAR (X)	OPAL (Y)	SMOKED (Z)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET	= 75W INCANDESCENT	= 60W INCANDESCENT

NARDO/G250

6,5W 2700K FILAMENT	G26.240.F1R
8,5W CCT SET	G26.240.V1K
E27	G26.240.E27



Master box: **36pcs**

DISMA/G250

6,5W 2700K FILAMENT	G26.114.F1R
8,5W CCT SET	G26.114.V1K
E27	G26.114.E27



Master box: **36pcs**

SICAR/G250

6,5W 2700K FILAMENT	G26.125.F1R
8,5W CCT SET	G26.125.V1K
E27	G26.125.E27



Master box: **36pcs**

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GLOBE 250 RANGE
MODERN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

NEW

GREY COLOUR AVAILABLE

G26.306.V1K

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

SMALL SIZE

GLOBE 250 MODERN

AVAILABLE COLORS		
RESIN BODY		DIFFUSER
BLACK (A)	GREY (L) NEW COLOUR	WHITE (W)
CLEAR (X)	OPAL (Y)	SMOKED (Z)



E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



GIAFFA/G250

6,5W 2700K FILAMENT	G26.242.F1R
8,5W CCT SET	G26.242.V1K



Master box: **2pcs**

DINO/G250

6,5W 2700K FILAMENT	G26.306.F1R
8,5W CCT SET	G26.306.V1K

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

REVIVAL

GLOBE 300 RANGE
MODERN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

NEW

GREY COLOUR AVAILABLE

G31.114.T1K

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

MEDIUM SIZE

GLOBE 300 MODERN

AVAILABLE COLORS

RESIN BODY			DIFFUSER		
	NEW COLOUR				
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)



E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET		
= 75W INCANDESCENT	= 60W INCANDESCENT	

NARDO/G300

6,5W FILAMENT	2700K	G31.240.F1R
11W	CCT SET	G31.240.T1K
E27		G31.240.E27



Master box: **24pcs**

DISMA/G300

6,5W FILAMENT	2700K	G31.114.F1R
11W	CCT SET	G31.114.T1K
E27		G31.114.E27



Master box: **24pcs**

SICAR/G300

6,5W FILAMENT	2700K	G31.125.F1R
11W	CCT SET	G31.125.T1K
E27		G31.125.E27





Master box: **24pcs**

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GLOBE 300 RANGE
MODERN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

G31.306.T1K

NEW

GREY COLOUR AVAILABLE

G31.306

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

MEDIUM SIZE

GLOBE 300 MODERN

AVAILABLE COLORS		
RESIN BODY		DIFFUSER
BLACK (A)	GREY (L) NEW COLOUR	WHITE (W)
CLEAR (X)	OPAL (Y)	SMOKED (Z)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	

GIAFFA/G300

6,5W 2700K FILAMENT	G31.242.F1R
11W CCT SET	G31.242.T1K



Master box: **2pcs**

DINO/G300

6,5W 2700K FILAMENT	G31.306.F1R
11W CCT SET	G31.306.T1K



10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GARDEN CLASSIC

ANNA RANGE
SMALL SIZE

fumagalli since 1973

MADE IN ITALY

E22.110.V1K

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

SMALL SIZE **ANNA RANGE**

AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET = 60W INCANDESCENT	= 60W INCANDESCENT	

BISSO/ANNA



6,5W FILAMENT	2700K	E22.131.F1R
8,5W	CCT SET	E22.131.V1K
E27		E22.131.E27



Master box: ***18pcs***

MIKROLOT/ANNA

6,5W FILAMENT	2700K	E22.110.F1R
8,5W	CCT SET	E22.110.V1K
E27		E22.110.E27



Master box: ***18pcs***

SICHEM/ANNA

6,5W FILAMENT	2700K	E22.120.F1R
8,5W	CCT SET	E22.120.V1K
E27		E22.120.E27



Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

MIZAR/ANNA (resin)

6,5W FILAMENT	2700K	E22.151.F1R
8,5W	CCT SET	E22.151.V1K



ALOE'.R/ANNA (resin)

6,5W FILAMENT	2700K	E22.163.F1R
8,5W	CCT SET	E22.163.V1K



ARTU'/ANNA

6,5W FILAMENT	2700K	E22.158.F1R
8,5W	CCT SET	E22.158.V1K



fumagalli since 1973

GIGI BISSO/ANNA 2L

6,5W FILAMENT	2700K	E22.156.S20.F1R
8,5W	CCT SET	E22.156.S20.V1K





GIGI BISSO/ANNA 3L

6,5W FILAMENT	2700K	E22.156.S30.F1R
8,5W	CCT SET	E22.156.S30.V1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN CLASSIC

SABA RANGE

SMALL SIZE

fumagalli® since 1973

MADE IN ITALY

fumagalli® since 1973

SMALL SIZE

SABA RANGE

AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

E27 VERSION

BISSO/SABA

6,5W 2700K FILAMENT	K22.131.F1R
8,5W CCT SET	K22.131.V1K
E27	K22.131.E27



Master box: ***18pcs***

MIKROLOT/SABA

6,5W 2700K FILAMENT	K22.110.F1R
8,5W CCT SET	K22.110.V1K
E27	K22.110.E27

Master box: ***18pcs***

SICHEM/SABA

6,5W 2700K FILAMENT	K22.120.F1R
8,5W CCT SET	K22.120.V1K
E27	K22.120.E27

Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

MIZAR/SABA (resin)

6,5W FILAMENT	2700K	K22.151.F1R
8,5W	CCT SET	K22.151.V1K



ALOE'.R/SABA (resin)

6,5W FILAMENT	2700K	K22.163.F1R
8,5W	CCT SET	K22.163.V1K



ARTU'/SABA

6,5W FILAMENT	2700K	K22.158.F1R
8,5W	CCT SET	K22.158.V1K

fumagalli since 1973

GIGI BISSO/SABA 2L

6,5W FILAMENT	2700K	K22.156.S20.F1R
8,5W	CCT SET	K22.156.S20.V1K





GIGI BISSO/SABA 3L

6,5W FILAMENT	2700K	K22.156.S30.F1R
8,5W	CCT SET	K22.156.S30.V1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MARY RANGE
SMALL SIZE

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

Q18.110.F1R

U.V. CE CB IECEE CB SCHEME IP55 CLASS II DOUBLE INSULATION

fumagalli since 1973

SMALL SIZE

MARY RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 60W INCANDESCENT	= 60W INCANDESCENT	



BISSO/MARY

6,5W FILAMENT	2700K	Q18.131.F1R
8,5W	CCT SET	Q18.131.V1K
E27		Q18.131.E27



Master box: ***18pcs***

MIKROLOT/MARY

6,5W FILAMENT	2700K	Q18.110.F1R
8,5W	CCT SET	Q18.110.V1K
E27		Q18.110.E27

Master box: ***18pcs***

SICHEM/MARY

6,5W FILAMENT	2700K	Q18.120.F1R
8,5W	CCT SET	Q18.120.V1K
E27		Q18.120.E27

Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**



E27 CCT LED VERSION

8,5W	
920 lm	
100-240V 50/60 Hz	
2700K/4000K/6500K	
= 60W INCANDESCENT	

CCT SET

E27 FILAMENT LED VERSION

6,5W	
800 lm	
100-240V 50/60 Hz	
2700K	
= 60W INCANDESCENT	

MIZAR/MARY (resin)

6,5W FILAMENT	2700K	Q18.151.F1R
8,5W	CCT SET	Q18.151.V1K



ARTU'BISSO/MARY 2L

6,5W FILAMENT	2700K	Q18.158.S20.F1R
8,5W	CCT SET	Q18.158.S20.V1K

ARTU'BISSO/MARY 3L



6,5W FILAMENT	2700K	Q18.158.S30.F1R
8,5W	CCT SET	Q18.158.S30.V1K

fumagalli since 1973

"METAL POST COVERED BY RESIN"

FumaTech® FUMAGALLI POLES TECHNOLOGY



ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

GIGI BISSO/MARY 2L

6,5W FILAMENT	2700K	Q18.156.S20.F1R
8,5W	CCT SET	Q18.156.S20.V1K



GIGI BISSO/MARY 3L

6,5W FILAMENT	2700K	Q18.156.S30.F1R
8,5W	CCT SET	Q18.156.S30.V1K

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GLOBE 250 CLASSIC
SMALL SIZE

fumagalli® since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 191

G25.131.F1R

U.V. TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

fumagalli® since 1973

SMALL SIZE **GLOBE 250 CLASSIC**

AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**	SMOKED **(Z)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 60W INCANDESCENT	= 60W INCANDESCENT	

BISSO/G250

IP55

6,5W 2700K FILAMENT	G25.131.F1R
8,5W CCT SET	G25.131.V1K
E27	G25.131.E27



Master box: ***36pcs***

MIKROLOT/G250

6,5W 2700K FILAMENT	G25.110.F1R
8,5W CCT SET	G25.110.V1K
E27	G25.110.E27

IP55



Master box: ***36pcs***

SICHEM/G250

6,5W 2700K FILAMENT	G25.120.F1R
8,5W CCT SET	G25.120.V1K
E27	G25.120.E27

IP55



Master box: ***36pcs***

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GLOBE 250 CLASSIC SMALL SIZE

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y), SMOKED (Z)

E27 CCT LED VERSION	
	8,5W
	920 lm
	100-240V 50/60 Hz
	2700K/4000K/6500K
CCT SET	= 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

MIZAR/G250 (resin)

6,5W FILAMENT	2700K	G25.151.F1R
8,5W	CCT SET	G25.151.V1K



Master box: **2pcs**

ALOE'.R/G250 (resin)

6,5W FILAMENT	2700K	G25.163.F1R
8,5W	CCT SET	G25.163.V1K



Master box: **2pcs**

ARTU'/G250

6,5W FILAMENT	2700K	G25.158.F1R
8,5W	CCT SET	G25.158.V1K



Master box: **2pcs**

fumagalli since 1973

SMALL SIZE GLOBE 250 CLASSIC

GIGI BISSO/G250 2L

6,5W FILAMENT	2700K	G25.156.S20.F1R
8,5W	CCT SET	G25.156.S20.V1K



Master box: **2pcs**

GIGI BISSO/G250 3L

6,5W FILAMENT	2700K	G25.156.S30.F1R
8,5W	CCT SET	G25.156.S30.V1K



Master box: **2pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

RUT RANGE
MEDIUM SIZE

fumagalli® since 1973

MADE IN ITALY

fumagalli® since 1973

MEDIUM SIZE

RUT RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y)



E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



BISSO/RUT



6,5W 2700K FILAMENT	E26.131.F1R
11W CCT SET	E26.131.T1K
E27	E26.131.E27



Master box: **12pcs**

MINILOT/RUT

6,5W 2700K FILAMENT	E26.111.F1R
11W CCT SET	E26.111.T1K
E27	E26.111.E27

Master box: **12pcs**

SICHEM/RUT

6,5W 2700K FILAMENT	E26.120.F1R
11W CCT SET	E26.120.T1K
E27	E26.120.E27



Master box: **12pcs**

10 REVIVAL
28 GARDEN SMALL
GARDEN CLASSIC
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
GARDEN MODERN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT		= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
6,5W	
800 lm	
100-240V 50/60 Hz	
2700K	
= 60W INCANDESCENT	

MIZAR/RUT (resin)

6,5W FILAMENT 2700K		E26.151.F1R
8,5W	CCT SET	E26.151.V1K
11W	CCT SET	E26.151.T1K



RICU BISSO/RUT 2L

6,5W FILAMENT 2700K		E26.157.S20.F1R
8,5W	CCT SET	E26.157.S20.V1K
11W	CCT SET	E26.157.S20.T1K



RICU BISSO/RUT 3L

6,5W FILAMENT 2700K		E26.157.S30.F1R
8,5W	CCT SET	E26.157.S30.V1K
11W	CCT SET	E26.157.S30.T1K



fumagalli since 1973

ALOE'.R/RUT (resin)

6,5W FILAMENT 2700K		E26.163.F1R
8,5W	CCT SET	E26.163.V1K
11W	CCT SET	E26.163.T1K



ARTU'/RUT

6,5W FILAMENT 2700K		E26.158.F1R
8,5W	CCT SET	E26.158.V1K
11W	CCT SET	E26.158.T1K

GIGI/RUT

6,5W FILAMENT 2700K		E26.156.F1R
8,5W	CCT SET	E26.156.V1K
11W	CCT SET	E26.156.T1K

RICU/RUT

6,5W FILAMENT 2700K		E26.157.F1R
8,5W	CCT SET	E26.157.V1K
11W	CCT SET	E26.157.T1K

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SALEM RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY

K26.111.F1R

6,5W	8,5W		11W
800 lm	**920 lm**		**1200 lm**
2700 K	**2700 K**	**4000 K**	**6500 K**

More details at page 191

U.V. TREATED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

MEDIUM SIZE **SALEM RANGE**

AVAILABLE COLORS	
RESIN BODY	DIFFUSER

BLACK **(A)** · WHITE **(W)** · CLEAR **(X)** · OPAL **(Y)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	



BISSO/SALEM



6,5W 2700K FILAMENT		K26.131.F1R
11W	CCT SET	K26.131.T1K
E27		K26.131.E27



Master box: ***12pcs***

MINILOT/SALEM

6,5W 2700K FILAMENT		K26.111.F1R
11W	CCT SET	K26.111.T1K
E27		K26.111.E27

Master box: ***12pcs***

SICHEM/SALEM

6,5W 2700K FILAMENT		K26.120.F1R
11W	CCT SET	K26.120.T1K
E27		K26.120.E27



Master box: ***12pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT	CCT SET	= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
6,5W	
800 lm	
100-240V 50/60 Hz	
2700K	
= 60W INCANDESCENT	

MIZAR/SALEM (resin)

6,5W FILAMENT	2700K	K26.151.F1R
8,5W	CCT SET	K26.151.V1K
11W	CCT SET	K26.151.T1K



RICU BISSO/SALEM 2L

6,5W FILAMENT	2700K	K26.157.S20.F1R
8,5W	CCT SET	K26.157.S20.V1K
11W	CCT SET	K26.157.S20.T1K



RICU BISSO/SALEM 3L

6,5W FILAMENT	2700K	K26.157.S30.F1R
8,5W	CCT SET	K26.157.S30.V1K
11W	CCT SET	K26.157.S30.T1K



fumagalli since 1973

"METAL POST COVERED BY RESIN"

FumaTech® FUMAGALLI POLES TECHNOLOGY



ALOE'.R/SALEM (resin)

6,5W FILAMENT	2700K	K26.163.F1R
8,5W	CCT SET	K26.163.V1K
11W	CCT SET	K26.163.T1K



ARTU'/SALEM



6,5W FILAMENT	2700K	K26.158.F1R
8,5W	CCT SET	K26.158.V1K
11W	CCT SET	K26.158.T1K

GIGI/SALEM

6,5W FILAMENT	2700K	K26.156.F1R
8,5W	CCT SET	K26.156.V1K
11W	CCT SET	K26.156.T1K

RICU/SALEM

6,5W FILAMENT	2700K	K26.157.F1R
8,5W	CCT SET	K26.157.V1K
11W	CCT SET	K26.157.T1K

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GOLIA RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

Q23.131.F1R

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

MEDIUM SIZE

GOLIA RANGE

AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET	= 60W INCANDESCENT	= 60W INCANDESCENT

BISSO/GOLIA

6,5W 2700K FILAMENT	Q23.131.F1R
8,5W CCT SET	Q23.131.V1K
E27	Q23.131.E27



Master box: ***12pcs***

MINILOT/GOLIA

6,5W 2700K FILAMENT	Q23.111.F1R
8,5W CCT SET	Q23.111.V1K
E27	Q23.111.E27



Master box: ***12pcs***

SICHEM/GOLIA

6,5W 2700K FILAMENT	Q23.120.F1R
8,5W CCT SET	Q23.120.V1K
E27	Q23.120.E27



Master box: ***12pcs***

10 REVIVAL
28 GARDEN SMALL
GARDEN CLASSIC
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION

8,5W	
920 lm	
100-240V 50/60 Hz	
2700K/4000K/6500K	
= 60W INCANDESCENT	

E27 FILAMENT LED VERSION

6,5W	
800 lm	
100-240V 50/60 Hz	
2700K	
= 60W INCANDESCENT	

MIZAR/GOLIA (resin)

6,5W 2700K FILAMENT		Q23.151.F1R
8,5W	CCT SET	Q23.151.V1K



RICU BISSO/GOLIA 2L

6,5W 2700K FILAMENT		Q23.157.S20.F1R
8,5W	CCT SET	Q23.157.S20.V1K



RICU BISSO/GOLIA 3L

6,5W 2700K FILAMENT		Q23.157.S30.F1R
8,5W	CCT SET	Q23.157.S30.V1K



fumagalli since 1973

"METAL POST COVERED BY RESIN"

fumaTech® FUMAGALLI POLES TECHNOLOGY



ALOE'.R/GOLIA (resin)

6,5W 2700K FILAMENT		Q23.163.F1R
8,5W	CCT SET	Q23.163.V1K



ARTU'/GOLIA

6,5W 2700K FILAMENT		Q23.158.F1R
8,5W	CCT SET	Q23.158.V1K

GIGI/GOLIA

6,5W 2700K FILAMENT		Q23.156.F1R
8,5W	CCT SET	Q23.156.V1K



RICU/GOLIA

6,5W 2700K FILAMENT		Q23.157.F1R
8,5W	CCT SET	Q23.157.V1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

CEFA RANGE
MEDIUM SIZE

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W	11W	
800 lm	920 lm	1200 lm	
2700 K	2700 K	4000 K	6500 K

More details at page 191

U23.120.F1R

UV TREATED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

MEDIUM SIZE

CEFA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A), WHITE (W)	CLEAR (X), OPAL (Y)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
8,5W	6,5W	
920 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
CCT SET = 60W INCANDESCENT	= 60W INCANDESCENT	

BISSO/CEFA

IP55

6,5W 2700K FILAMENT	U23.131.F1R
8,5W CCT SET	U23.131.V1K
E27	U23.131.E27



Master box: **12pcs**

MINILOT/CEFA

6,5W 2700K FILAMENT	U23.111.F1R
8,5W CCT SET	U23.111.V1K
E27	U23.111.E27

IP55



Master box: **12pcs**

SICHEM/CEFA

6,5W 2700K FILAMENT	U23.120.F1R
8,5W CCT SET	U23.120.V1K
E27	U23.120.E27

IP55



Master box: **12pcs**

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK **(A)** WHITE **(W)**	CLEAR **(X)** OPAL **(Y)**

E27 CCT LED VERSION

8,5W
920 lm
100-240V 50/60 Hz
2700K/4000K/6500K
= 60W INCANDESCENT

E27 FILAMENT LED VERSION

6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT

MIZAR/CEFA (resin)

6,5W 2700K FILAMENT	U23.151.F1R
8,5W CCT SET	U23.151.V1K



RICU BISSO/CEFA 2L

6,5W 2700K FILAMENT	U23.157.S20.F1R
8,5W CCT SET	U23.157.S20.V1K



RICU BISSO/CEFA 3L

6,5W 2700K FILAMENT	U23.157.S30.F1R
8,5W CCT SET	U23.157.S30.V1K



fumagalli since 1973

ALOE'.R/CEFA (resin)



6,5W 2700K FILAMENT	U23.163.F1R
8,5W CCT SET	U23.163.V1K



ARTU'/CEFA



6,5W 2700K FILAMENT	U23.158.F1R
8,5W CCT SET	U23.158.V1K

GIGI/CEFA



6,5W 2700K FILAMENT	U23.156.F1R
8,5W CCT SET	U23.156.V1K



RICU/CEFA



6,5W 2700K FILAMENT	U23.157.F1R
8,5W CCT SET	U23.157.V1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GLOBE 300 CLASSIC
MEDIUM SIZE

fumagalli® since 1973

MADE IN ITALY



6,5W	8,5W	11W	
800 lm	920 lm	1200 lm	
2700 K	2700 K	4000 K	6500 K

More details at page 191

U.V. | IP55 | CLASS II

fumagalli® since 1973

MEDIUM SIZE **GLOBE 300 CLASSIC**

AVAILABLE COLORS				
RESIN BODY		DIFFUSER		
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)

E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
11W	6,5W	
1200 lm	800 lm	
100-240V 50/60 Hz	100-240V 50/60 Hz	
2700K/4000K/6500K	2700K	
= 75W INCANDESCENT	= 60W INCANDESCENT	

BISSO/G300



6,5W FILAMENT	G30.131.F1R
11W CCT SET	G30.131.T1K
E27	G30.131.E27



Master box: ***24pcs***

MINILOT/G300

6,5W 2700K FILAMENT	G30.111.F1R
11W CCT SET	G30.111.T1K
E27	G30.111.E27



Master box: ***24pcs***

SICHEM/G300

6,5W 2700K FILAMENT	G30.120.F1R
11W CCT SET	G30.120.T1K
E27	G30.120.E27



Master box: ***24pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GLOBE 300 CLASSIC MEDIUM SIZE

fumagalli since 1973

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A) WHITE (W)	CLEAR (X) OPAL (Y) SMOKED (Z)

E27 CCT LED VERSION		
8,5W		11W
920 lm		1200 lm
100-240V 50/60 Hz		100-240V 50/60 Hz
2700K/4000K/6500K		2700K/4000K/6500K
= 60W INCANDESCENT		= 75W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5WW
	800 lm
	100-240V 50/60 Hz
	2700K
	= 60W INCANDESCENT

IAFET.R/G300 (resin)

6,5W FILAMENT	2700K	G30.162.F1R
8,5W	CCT SET	G30.162.V1K
11W	CCT SET	G30.162.T1K



Master box: **2pcs**

RICU BISSO/G300 2L

6,5W FILAMENT	2700K	G30.157.S20.F1R
8,5W	CCT SET	G30.157.S20.V1K
11W	CCT SET	G30.157.S20.T1K



Master box: **2pcs**

RICU BISSO/G300 3L

6,5W FILAMENT	2700K	G30.157.S30.F1R
8,5W	CCT SET	G30.157.S30.V1K
11W	CCT SET	G30.157.S30.T1K



Master box: **2pcs**

fumagalli since 1973

MEDIUM SIZE GLOBE 300 CLASSIC

ALOE'.R/G300 (resin)

6,5W FILAMENT	2700K	G30.163.F1R
8,5W	CCT SET	G30.163.V1K
11W	CCT SET	G30.163.T1K

Master box: **2pcs**

ARTU'/G300

6,5W FILAMENT	2700K	G30.158.F1R
8,5W	CCT SET	G30.158.V1K
11W	CCT SET	G30.158.T1K

Master box: **2pcs**

GIGI/G300

6,5W FILAMENT	2700K	G30.156.F1R
8,5W	CCT SET	G30.156.V1K
11W	CCT SET	G30.156.T1K



Master box: **2pcs**

RICU/G300

6,5W FILAMENT	2700K	G30.157.F1R
8,5W	CCT SET	G30.157.V1K
11W	CCT SET	G30.157.T1K



Master box: **2pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

NOEMI RANGE
LARGE SIZE

MADE IN ITALY

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 192

HIGH POWER LED VERSION

E35.132.Q1K

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

LARGE SIZE

NOEMI RANGE

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 HIGH POWER LED VERSION

15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= 100W INCANDESCENT	= NOEMI 70W HQI-SON

OFIR/NOEMI

IP55

15W LED	CCT SET	E35.132.R1K
30W LED	CCT SET	E35.132.Q1K

HIGH POWER LED VERSION



LOT/NOEMI

15W LED	CCT SET	E35.113.R1K
30W LED	CCT SET	E35.113.Q1K

IP55

HIGH POWER LED VERSION

SICHEM/NOEMI

15W LED	CCT SET	E35.121.R1K
30W LED	CCT SET	E35.121.Q1K

IP55

HIGH POWER LED VERSION



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

NOEMI RANGE

LARGE SIZE

fumagalli since 1973

E27 HIGH POWER LED VERSION					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED Ø 100	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= NOEMI 70W HQI-SON

IAFET.R/NOEMI (resin)

15W LED	CCT SET	E35.162.R1K
30W LED	CCT SET	E35.162.Q1K

HIGH POWER LED VERSION



Master box: ***2pcs***

ARTU'/NOEMI	GIGI/NOEMI	RICU/NOEMI
15W LED CCT SET E35.158.R1K	15W LED CCT SET E35.156.R1K	15W LED CCT SET E35.157.R1K
30W LED CCT SET E35.158.Q1K	30W LED CCT SET E35.156.Q1K	30W LED CCT SET E35.157.Q1K

HIGH POWER LED VERSION



Master box: ***2pcs***

HIGH POWER LED VERSION

Master box: ***2pcs***



Master box: ***2pcs***

NEBO/NOEMI

30W LED	CCT SET	E35.201.Q1K

HIGH POWER LED VERSION

NEBO OFIR/NOEMI 2L

30W LED	CCT SET	E35.201.R20.Q1K

HIGH POWER LED VERSION



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SILOE RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 192

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

LARGE SIZE

SILOE RANGE

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 HIGH POWER LED VERSION

15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= 100W INCANDESCENT	= NOEMI 70W HQI-SON

OFIR/SILOE



15W LED	CCT SET	K35.132.R1K
30W LED	CCT SET	K35.132.Q1K



LOT/SILOE

15W LED	CCT SET	K35.113.R1K
30W LED	CCT SET	K35.113.Q1K





SICHEM/SILOE

15W LED	CCT SET	K35.121.R1K
30W LED	CCT SET	K35.121.Q1K



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

E27 HIGH POWER LED VERSION

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED 	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= SILOE 70W HQI-SON

IAFET.R/SILOE (resin)

IP55

15W LED	CCT SET	K35.162.R1K
30W LED	CCT SET	K35.162.Q1K

HIGH POWER LED VERSION



Master box: ***2pcs***

IP55

ARTU'/SILOE

15W LED	CCT SET	K35.158.R1K
30W LED	CCT SET	K35.158.Q1K

HIGH POWER LED VERSION



Master box: ***2pcs***

GIGI/SILOE

15W LED	CCT SET	K35.156.R1K
30W LED	CCT SET	K35.156.Q1K

HIGH POWER LED VERSION

Master box: ***2pcs***

RICU/SILOE

15W LED	CCT SET	K35.157.R1K
30W LED	CCT SET	K35.157.Q1K

HIGH POWER LED VERSION



Master box: ***2pcs***

fumagalli since 1973

NEBO/SILOE

30W LED	CCT SET	K35.201.Q1K

IP55

HIGH POWER LED VERSION



NEBO OFIR/SILOE 2L

30W LED	CCT SET	K35.201.R20.Q1K

HIGH POWER LED VERSION

IP55

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TOBIA RANGE
LARGE SIZE

fumagalli® since 1973

MADE IN ITALY

HIGH POWER LED VERSION

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30° | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 192

Q33.113.Q1K

UV-TREATED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli® since 1973

LARGE SIZE **TOBIA RANGE**

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 HIGH POWER LED VERSION

15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= 100W INCANDESCENT	= TOBIA 70W HQI-SON

OFIR/TOBIA

IP55

15W LED	CCT SET	Q33.132.R1K
30W LED	CCT SET	Q33.132.Q1K

390 · 620 · 620 · 390

LOT/TOBIA

15W LED	CCT SET	Q33.113.R1K
30W LED	CCT SET	Q33.113.Q1K

IP55

330 · 700 · Ø 190

SICHEM/TOBIA

15W LED	CCT SET	Q33.121.R1K
30W LED	CCT SET	Q33.121.Q1K

IP55

330 · 1000

box: ***1pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

E27 HIGH POWER LED VERSION

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED (Ø 100)	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= TOBIA 70W HQI-SON



IAFET.R/TOBIA (resin)

15W LED	CCT SET	Q33.162.R1K
30W LED	CCT SET	Q33.162.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**



ARTU'/TOBIA		GIGI/TOBIA		RICU/TOBIA	
15W LED	CCT SET	15W LED	CCT SET	15W LED	CCT SET
Q33.158.R1K		Q33.156.R1K		Q33.157.R1K	
30W LED	CCT SET	30W LED	CCT SET	30W LED	CCT SET
Q33.158.Q1K		Q33.156.Q1K		Q33.157.Q1K	

HIGH POWER LED VERSION



Master box: **2pcs**

HIGH POWER LED VERSION

Master box: **2pcs**

Master box: **2pcs**

fumagalli since 1973

NEBO/TOBIA

30W LED	CCT SET	Q33.201.Q1K

HIGH POWER LED VERSION



NEBO OFIR/TOBIA 2L

30W LED	CCT SET	Q33.201.R20.Q1K

HIGH POWER LED VERSION



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SIMON RANGE
LARGE SIZE

fumagalli since 1973

MADE IN ITALY

HIGH POWER LED VERSION

U33.132.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30°

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 192

UV TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

fumagalli since 1973

LARGE SIZE

SIMON RANGE

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 HIGH POWER LED VERSION

15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	**100-240V** 50/60 Hz
4000K/3000K	4000K/3000K
= 100W INCANDESCENT	= TOBIA 70W HQI-SON

OFIR/SIMON

IP55

15W LED	CCT SET	U33.132.R1K
30W LED	CCT SET	U33.132.Q1K

HIGH POWER LED VERSION

390 · 660 · 660 · 390

LOT/SIMON

15W LED	CCT SET	U33.113.R1K
30W LED	CCT SET	U33.113.Q1K

IP55

HIGH POWER LED VERSION

330 · 740 · Ø 190

SICHEM/SIMON

15W LED	CCT SET	U33.121.R1K
30W LED	CCT SET	U33.121.Q1K

IP55

HIGH POWER LED VERSION

330 · 1040

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

E27 HIGH POWER LED VERSION

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
E27 HIGH POWER LED (Ø 100)	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	= 100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	= TOBIA 70W HQI-SON

IAFET.R/SIMON (resin)

15W LED	CCT SET	U33.162.R1K
30W LED	CCT SET	U33.162.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**

ARTU'/SIMON

15W LED	CCT SET	U33.158.R1K
30W LED	CCT SET	U33.158.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**

GIGI/SIMON

15W LED	CCT SET	U33.156.R1K
30W LED	CCT SET	U33.156.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**

RICU/SIMON

15W LED	CCT SET	U33.157.R1K
30W LED	CCT SET	U33.157.Q1K

HIGH POWER LED VERSION



Master box: **2pcs**

fumagalli since 1973

NEBO/SIMON

30W LED	CCT SET	U33.201.Q1K

HIGH POWER LED VERSION



NEBO OFIR/SIMON 2L

30W LED	CCT SET	U33.201.R20.Q1K

HIGH POWER LED VERSION



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

IESSE-DARIA
HALF LANTERN

MADE IN ITALY

6,5W	8,5W		11W
800 lm	920 lm		1200 lm
2700 K	2700 K	4000 K	6500 K

More details at page 191

M22.000.F1R

SMART PACK AVAILABLE

SINGLE BOX

cbm: **0,22**
Master box: **16 pcs**

NEW **SMART PACK ***

- ✓ Save **44 %** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

cbm: **0,14**
Master box: **18 pcs**

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK **(A)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

E27 CCT LED VERSION

8,5W	11W
920 lm	1200 lm
100-240V 50/60 Hz	100-240V 50/60 Hz
2700K/4000K/6500K	2700K/4000K/6500K
= 60W INCANDESCENT	= 75W INCANDESCENT

E27 FILAMENT LED

6,5W
800 lm
100-240V 50/60 Hz
2700K
= 60W INCANDESCENT

E27 VERSION

IESSE

IP55

6,5W 2700K FILAMENT	M22.000.F1R	SINGLE BOX
8,5W CCT SET	M22.000.V1K	SINGLE BOX
E27	M22.000.E27	SINGLE BOX





Standard Master box: ***16pcs***
Smart pack Master box: ***18pcs***

NEW **SMART PACK ***

E27	M23.000.E27

DARIA

IP55

6,5W 2700K FILAMENT	M28.000.F1R
11W CCT SET	M28.000.T1K
E27	M28.000.E27



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SAURO
BOLLARD

fumagalli® since 1973

MADE IN ITALY

fumagalli® since 1973

SAURO E27

SAURO E27 VERSIONS			
FRA	with white resin louvre	FC1	with aluminium chrome louvre

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER	
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	CLEAR **(X)**	OPAL **(Y)**

SAURO 1100

E27 D15.555.E27



SAURO 800

E27 D15.554.E27



SAURO 500

E27 D15.553.E27



MIRELLA

E27 D15.505.E27



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SAURO
BOLLARD

MADE IN ITALY

fumagalli since 1973

SAURO GX53

SAURO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: CLEAR **(X)**, OPAL **(Y)**

SAURO 1100

10W CCT SET D15.555.D1KCRB

LAMP INCLUDED: GX53 LED



NEW VERSION CCT SETTABLE LAMP

SAURO 800

10W CCT SET D15.554.D1KCRB

LAMP INCLUDED: GX53 LED



NEW VERSION CCT SETTABLE LAMP

SAURO 500

10W CCT SET D15.553.D1KCRB

LAMP INCLUDED: GX53 LED



NEW VERSION CCT SETTABLE LAMP

MIRELLA

10W CCT SET D15.505.D1KCRB

LAMP INCLUDED: GX53 LED



NEW VERSION CCT SETTABLE LAMP

MADE IN ITALY

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

ESTER
for details see pag. 98

LIVIA 60
for details see pag.112

MAMETE
for details see pag. 116

LUCIA
for details see pag.168

STEVEN
for details see pag. 88

fumagalli®
since 1973

TOP SELECTIONV 2023
MODERN RANGE

CARLO 800
for details see pag.90

TERESA 90
for details see pag.110



ABRAM150
for details see pag.118

MINITOMMY-EL
for details see pag.128

EXTRALETI100
for details see pag. 148

STEVEN
BOLLARD

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP67 · CLASS II DOUBLE INSULATION

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

STEVEN LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

STEVEN

LED G9 LAMP INCLUDED

1,7W	4000K	ST1.531.Z1L
	3000K	ST1.531.Z1R

SPIKE INSTALLATION



DUAL USE

GROUND INSTALLATION



Master box: ***10pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

CARLO / CARLO DECO

BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

DR1.575

DR3.570

DR3.574

CCT SETTABLE

2700 K · 4000 K

SDCM < 3

fumagalli since 1973

BOLLARD

CARLO / CARLO DECO

CARLO CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: CLEAR **(X)**

CARLO 800 / CARLO 800 DECO

LED GU10 LAMP INCLUDED · CCT SET

3,5W	DR1.575.U1K
6W	DR1.575.L1K
3,5W	DR3.575.U1K
6W	DR3.575.L1K



Master box: **6pcs**



Master box: **6pcs**



LED GU10 LAMP INCLUDED · CCT SET

CARLO 400 / CARLO 400 DECO

LED GU10 LAMP INCLUDED · CCT SET

3,5W	DR1.574.U1K
6W	DR1.574.L1K
3,5W	DR3.574.U1K
6W	DR3.574.L1K



Master box: **12pcs**



Master box: **12pcs**

LED GU10 LAMP INCLUDED · CCT SET

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

CARLO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN

CARLO
DR1



CARLO DECO
DR3

CARLO 250

LED GU10 LAMP INCLUDED
CCT SET

3,5W	DR1.573.U1K
6W	DR1.573.L1K
3,5W	DR3.573.U1K
6W	DR3.573.L1K



Master box: **20pcs**

CARLO 250 DECO



Master box: **20pcs**

LED GU10 LAMP INCLUDED
CCT SET

CARLO SPIKE

LED GU10 LAMP INCLUDED
CCT SET

3,5W	DR1.572.U1K
6W	DR1.572.L1K
3,5W	DR3.572.U1K
6W	DR3.572.L1K



Master box: **20pcs**

CARLO SPIKE DECO



Master box: **20pcs**

LED GU10 LAMP INCLUDED
CCT SET

CARLO CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*

BLACK **(A)**

GREY **(L)**

WHITE **(W)**

DIFFUSER

CLEAR **(X)**

CARLO WALL

LED GU10 LAMP INCLUDED
CCT SET

3,5W	DR1.570.U1K
6W	DR1.570.L1K
3,5W	DR3.570.U1K
6W	DR3.570.L1K



Master box: **20pcs**

CARLO WALL DECO



Master box: **20pcs**

LED GU10 LAMP INCLUDED
CCT SET

CARLO-FS

LED GU10 LAMP INCLUDED
CCT SET

3,5W	DR1.571.U1K
6W	DR1.571.L1K
3,5W	DR3.571.U1K
6W	DR3.571.L1K



Master box: **20pcs**

CARLO-FS DECO



Master box: **20pcs**



LED GU10 LAMP INCLUDED
CCT SET

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

AMELIA
BOLLAR

fumagalli since 1973

MADE IN ITALY

More details at page 191

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

DR2.575

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM < 6

AMELIA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS): BLACK **(A)** · GREY **(L)** · WHITE **(W)**

DIFFUSER: CLEAR **(X)**



AMELIA 800

LED E27 LAMP INCLUDED

8,5W	CCT SET	DR2.575.V1K
11W	CCT SET	DR2.575.T1K



Master box: ***6pcs***

AMELIA 400

LED E27 LAMP INCLUDED

8,5W	CCT SET	DR2.574.V1K
11W	CCT SET	DR2.574.T1K



Master box: ***12pcs***

AMELIA 250

LED E27 LAMP INCLUDED

8,5W	CCT SET	DR2.573.V1K
11W	CCT SET	DR2.573.T1K



Master box: ***20pcs***

AMELIA SPIKE

LED E27 LAMP INCLUDED

8,5W	CCT SET	DR2.572.V1K
11W	CCT SET	DR2.572.T1K



Master box: ***20pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

AMELIA
WALL LAMP

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

DR2.570

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

AMELIA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
CCT SET LED E27	11W	1200 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=75W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: CLEAR **(X)**

AMELIA WALL

LED E27 LAMP INCLUDED			
8,5W	CCT SET	DR2.570.V1K
11W	CCT SET	DR2.570.T1K



Master box: ***20pcs***

AMELIA-FS

LED E27 LAMP INCLUDED		
8,5W	CCT SET	DR2.571.V1K
11W	CCT SET	DR2.571.T1K



Master box: ***20pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

ESTER
BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

ESTER CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: CLEAR **(X)**

ESTER 800

LED GX53 LAMP INCLUDED · CCT SET

3W	DS1.564.G1K
10W	DS1.564.D1K



Master box: ***6pcs***

ESTER 500

LED GX53 LAMP INCLUDED · CCT SET

3W	DS1.563.G1K
10W	DS1.563.D1K



Master box: ***12pcs***

ESTER WALL

LED GX53 LAMP INCLUDED · CCT SET

3W	DS1.560.G1K
10W	DS1.560.D1K



Master box: ***18pcs***

ESTER SPIKE

LED GX53 LAMP INCLUDED · CCT SET

3W	DS1.561.G1K
10W	DS1.561.D1K



Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

ELISA
BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

ELISA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)



WITH WHITE RESIN REFLECTOR

ELISA 800

LED GX53 LAMP INCLUDED · CCT SET

3W	DS2.564.G1K
10W	DS2.564.D1K



Master box: **6pcs**

ELISA 500

LED GX53 LAMP INCLUDED · CCT SET

3W	DS2.563.G1K
10W	DS2.563.D1K



Master box: **12pcs**

ELISA WALL

LED GX53 LAMP INCLUDED · CCT SET

3W	DS2.560.G1K
10W	DS2.560.D1K



Master box: **18pcs**

ELISA SPIKE

LED GX53 LAMP INCLUDED · CCT SET

3W	DS2.561.G1K
10W	DS2.561.D1K



Master box: **18pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GABRI-MINIGABRI REMI/LUCIA

BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

fumagalli since 1973

BOLLARD

GABRI-MINIGABRI REMI/LUCIA

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GABRI REMI/LUCIA 1L



E27	1R3.613.X10.E27	2R3.613.X10.E27	3R3.613.X10.E27
GX53 LED 7,2W CCT SET	1R3.613.X10.A1K	2R3.613.X10.A1K	3R3.613.X10.A1K
GX53 LED 11,3W CCT SET	1R3.613.X10.B1K	2R3.613.X10.B1K	3R3.613.X10.B1K
GX53 LED 17W CCT SET	1R3.613.X10.E1K	2R3.613.X10.E1K	3R3.613.X10.E1K

GABRI REMI/LUCIA 2L



E27	1R3.613.X20.E27	2R3.613.X20.E27	3R3.613.X20.E27
GX53 LED 7,2W CCT SET	1R3.613.X20.A1K	2R3.613.X20.A1K	3R3.613.X20.A1K
GX53 LED 11,3W CCT SET	1R3.613.X20.B1K	2R3.613.X20.B1K	3R3.613.X20.B1K
GX53 LED 17W CCT SET	1R3.613.X20.E1K	2R3.613.X20.E1K	3R3.613.X20.E1K

MINIGABRI REMI/LUCIA 1L



E27	1R3.612.X10.E27	2R3.612.X10.E27	3R3.612.X10.E27
GX53 LED 7,2W CCT SET	1R3.612.X10.A1K	2R3.612.X10.A1K	3R3.612.X10.A1K
GX53 LED 11,3W CCT SET	1R3.612.X10.B1K	2R3.612.X10.B1K	3R3.612.X10.B1K
GX53 LED 17W CCT SET	1R3.612.X10.E1K	2R3.612.X10.E1K	3R3.612.X10.E1K

MINIGABRI REMI/LUCIA 2L





E27	1R3.612.X20.E27	2R3.612.X20.E27	3R3.612.X20.E27
GX53 LED 7,2W CCT SET	1R3.612.X20.A1K	2R3.612.X20.A1K	3R3.612.X20.A1K
GX53 LED 11,3W CCT SET	1R3.612.X20.B1K	2R3.612.X20.B1K	3R3.612.X20.B1K
GX53 LED 17W CCT SET	1R3.612.X20.E1K	2R3.612.X20.E1K	3R3.612.X20.E1K

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GABRI-MINIGABRI REMI/MADDI

BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

fumagalli since 1973

BOLLARD

GABRI-MINIGABRI REMI/MADDI

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GABRI REMI/MADDI 1L



E27	1V3.613.X10.E27	2V3.613.X10.E27	3V3.613.X10.E27
GX53 LED 7,2W CCT SET	1V3.613.X10.A1K	2V3.613.X10.A1K	3V3.613.X10.A1K
GX53 LED 11,3W CCT SET	1V3.613.X10.B1K	2V3.613.X10.B1K	3V3.613.X10.B1K
GX53 LED 17W CCT SET	1V3.613.X10.E1K	2V3.613.X10.E1K	3V3.613.X10.E1K

GABRI REMI/MADDI 2L



E27	1V3.613.X20.E27	2V3.613.X20.E27	3V3.613.X20.E27
GX53 LED 7,2W CCT SET	1V3.613.X20.A1K	2V3.613.X20.A1K	3V3.613.X20.A1K
GX53 LED 11,3W CCT SET	1V3.613.X20.B1K	2V3.613.X20.B1K	3V3.613.X20.B1K
GX53 LED 17W CCT SET	1V3.613.X20.E1K	2V3.613.X20.E1K	3V3.613.X20.E1K

MINIGABRI REMI/MADDI 1L



E27	1V3.612.X10.E27	2V3.612.X10.E27	3V3.612.X10.E27
GX53 LED 7,2W CCT SET	1V3.612.X10.A1K	2V3.612.X10.A1K	3V3.612.X10.A1K
GX53 LED 11,3W CCT SET	1V3.612.X10.B1K	2V3.612.X10.B1K	3V3.612.X10.B1K
GX53 LED 17W CCT SET	1V3.612.X10.E1K	2V3.612.X10.E1K	3V3.612.X10.E1K

MINIGABRI REMI/MADDI 2L



E27	1V3.612.X20.E27	2V3.612.X20.E27	3V3.612.X20.E27
GX53 LED 7,2W CCT SET	1V3.612.X20.A1K	2V3.612.X20.A1K	3V3.612.X20.A1K
GX53 LED 11,3W CCT SET	1V3.612.X20.B1K	2V3.612.X20.B1K	3V3.612.X20.B1K
GX53 LED 17W CCT SET	1V3.612.X20.E1K	2V3.612.X20.E1K	3V3.612.X20.E1K

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

PINELA-MINIPINELA

BOLLARD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

GERMANA LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT
2x GX53 LED	2x10W 20W	2570 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

PINELA 1L



E27		2N1.613.010.P27
2x3W 6W	CCT SET	2N1.613.010.G2K
2x10W 20W	CCT SET	2N1.613.010.D2K

PINELA 2L



E27		2N1.613.020.P27
2x 6W	CCT SET	2N1.613.020.G2K
2x 20W	CCT SET	2N1.613.020.D2K

MINIPINELA 1L



E27		2N1.612.010.P27
2x3W 6W	CCT SET	2N1.612.010.G2K
2x10W 20W	CCT SET	2N1.612.010.D2K

MINIPINELA 2L



E27		2N1.612.020.P27
2x 6W	CCT SET	2N1.612.020.G2K
2x 20W	CCT SET	2N1.612.020.D2K

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

TERESA RANGE

DOWNLIGHT / DECKLIGHT

fumagalli since 1973

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · CLASS II DOUBLE INSULATION

MADE IN ITALY

TERESA 50
G9

TERESA 90
GU10

TERESA 160
GX53

TERESA 260
GX53
E27 NEW

TERESA 50 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

COVER *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

TERESA 50

1,7W	4000K	2L0.000.Z1L
	3000K	2L0.000.Z1R

IP67



Master box: ***75pcs***

TERESA 50 SQUARE

1,7W	4000K	2L4.000.Z1L
	3000K	2L4.000.Z1R

IP67



Master box: ***75pcs***

TERESA 50 1L

1,7W	4000K	2L1.000.Z1L
	3000K	2L1.000.Z1R

IP67





Master box: ***75pcs***

TERESA 50 2L

1,7W	4000K	2L2.000.Z1L
	3000K	2L2.000.Z1R

IP67



Master box: ***75pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TERESA 90

DOWNLIGHT

fumagalli since 1973

TERESA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



TERESA 90

LED GU10 LAMP INCLUDED

CCT SET

GU10 lampholder	3L1.000.GU1	SMART PACK
3,5W	3L0.000.U1K	
6W	3L0.000.L1K	



Standard Master box: ***40pcs***
Smart Pack Master box: ***100pcs***

TERESA 90 - AVAILABLE VERSIONS

TERESA 90
SINGLE BOX - LAMP INCLUDED

TERESA 90 GU10

+

GU10 LAMP INCLUDED



cbm: **0,09**
Master box: **40 pcs**

TERESA 90 GU10
SMART PACK

5x TERESA 90 GU10

SAVE 37% VOLUME

- ✓ Save **37%** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

cbm: **0,14**
Master box: **5X20= 100 pcs**

fumagalli since 1973

DOWNLIGHT

TERESA 160

TERESA 160 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

TERESA 260 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

TERESA 160

LED GX53 LAMP INCLUDED

CCT SET

3W	4L0.000.G1K
10W	4L0.000.D1K



Master box: ***18pcs***

TERESA 260

LED GX53 LAMP INCLUDED

CCT SET

E27 lampholder	5L0.000.P27
7,2W	5L0.000.A1K
11,3W	5L0.000.B1K
17W	5L0.000.E1K

TERESA 260 E27

TERESA 260 GX53 LED



Master box: ***16pcs***

LIVIA RANGE
DOWNLIGHT

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

1A9.000.Z1L

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	FROSTED **(X)**

LIVIA 60 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

LIVIA 90 CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

LIVIA 60



LED G9 LAMP INCLUDED	1,7W	4000K	1A9.000.Z1L
		3000K	1A9.000.Z1R



Master box: ***75pcs***

LIVIA 90

LED GU10 LAMP INCLUDED	3,5W	2A9.000.U1K
CCT SET	6W	2A9.000.L1K



Master box: ***30pcs***

10 REVIVAL
GARDEN CLASSIC
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

LIVIA RANGE
DOWNLIGHT

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

3A9.000.G1K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	FROSTED **(X)**

LIVIA 160 CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

LIVIA 180 CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	
HIGH POWER LED E27	15W	1690 lm	100-240V 50/60 Hz	3000K/ 4000K	=50W HQI-SON
HIGH POWER LED E27	30W	3620 lm	100-240V 50/60 Hz	3000K/ 4000K	=70W HQI-SON

LIVIA 160

LED GX53 LAMP INCLUDED · CCT SET

3W	3A9.000.G1K
10W	3A9.000.D1K



Master box: ***18pcs***

LIVIA 180

LED E27 HIGH POWER LAMP INCLUDED · CCT SET

15W	4A9.000.R1K
30W	4A9.000.Q1K



Master box: ***12pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MAMETE
UP & DOWN

fumagalli since 1973

UV-TREATED · ANTI SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP67 · CLASS II DOUBLE INSULATION

MADE IN ITALY

WALL INSTALLATION

2A3.000.Z1L

1A3.000.Z1L

GROUND INSTALLATION

MAMETE LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

MAMETE SQUARE

LED G9 LAMP INCLUDED

1,7W	4000K	1A3.000.Z1L
	3000K	1A3.000.Z1R



Master box: **50pcs**

MAMETE ROUND

LED G9 LAMP INCLUDED

1,7W	4000K	2A3.000.Z1L
	3000K	2A3.000.Z1R



Master box: **50pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

ABRAM RANGE

UP&DOWN

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AB1.000.J1K

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

fumagalli since 1973

UP&DOWN

ABRAM RANGE

ABRAM LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

RESIN BODY (MOULDED COLOURS) · **DIFFUSER**



ABRAM 150

CCT SET · LED R7s LAMP INCLUDED · 3,5W · AB1.000.J1K



Master box: **30pcs**

ABRAM 190

CCT SET · LED R7s LAMP INCLUDED · 7,5W · AB2.000.K1K



Master box: **30pcs**

ABRAM 270

CCT SET · LED R7s LAMP INCLUDED · 10,5W · AB3.000.P1K



Master box: **14pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

FRANCA 90

UP&DOWN

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP55 · CLASS II DOUBLE INSULATION

FRANCA 90 CCT LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
FRANCA 90 1L	GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
	GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN
FRANCA 90 2L	2X GU10 LED	2x 3,5W 7W	732 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 35W HALOGEN
	2X GU10 LED	2x 6W 12W	1230 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 50W HALOGEN

AVAILABLE COLORS

BODY (MOULDED COLOURS): BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

FRANCA 90

LED GU10 LAMP INCLUDED — CCT SET

3,5W	3A7.000.U1K
6W	3A7.000.L1K



Master box: **30pcs**

FRANCA 90 SPIKE

LED GU10 LAMP INCLUDED — CCT SET

3,5W	3A7.001.U1K
6W	3A7.001.L1K



Master box: **30pcs**

FRANCA 90-1L WALL

LED GU10 LAMP INCLUDED — CCT SET

3,5W	3A7.002.U1K
6W	3A7.002.L1K



Master box: **30pcs**

FRANCA 90-2L WALL

LED GU10 LAMP INCLUDED — CCT SET

2x3,5W 7W	3A7.003.U2K
2x6W 12W	3A7.003.L2K



Master box: **20pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

MARTA 90

UP&DOWN

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

1A4.000

CCT SETTABLE

2700 K · 4000 K

SDCM < 3

MARTA 90 CCT LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
MARTA 90 1L	GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
MARTA 90 1L	GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN
MARTA 90 2L	2X GU10 LED	2x 3,5W 7W	732 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 35W HALOGEN
MARTA 90 2L	2X GU10 LED	2x 6W 12W	1230 lm	100-240V 50/60 Hz	4000K/2700K	=2 x 50W HALOGEN

AVAILABLE COLORS

BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

MARTA90 1L



LED GU10 LAMP INCLUDED · CCT SET

3,5W	1A4.000.U1K
6W	1A4.000.L1K



Master box: ***36pcs***

MARTA90 2L

LED GU10 LAMP INCLUDED · CCT SET

2x3,5W **7W**	2A4.000.U2K
2x6W **12W**	2A4.000.L2K



Master box: ***36pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MARTA 160
UP&DOWN

MADE IN ITALY

UV-TREATED · ANTI SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

1A6.000

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

MARTA 160 CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
MARTA160 1L GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT
MARTA160 2L 2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x40W INCANDESCENT
	2x10W 20W	2580 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x100W INCANDESCENT

AVAILABLE COLORS

BODY (MOULDED COLOURS): BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

MARTA160 1L

LED GX53 LAMP INCLUDED · CCT SET

E27	1A6.000.E27
3W	1A6.000.G1K
10W	1A6.000.D1K



Master box: ***18pcs***

MARTA160 2L

LED GX53 LAMP INCLUDED · CCT SET

2x3W 6W	2A6.000.G2K
2x10W 20W	2A6.000.D2K



Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

FRANCY
UP&DOWN

fumagalli since 1973

MADE IN ITALY

6,5W	8,5W	11W	
800 lm	920 lm	1200 lm	
2700 K	2700 K	4000 K	6500 K

More details at page 191

UV-TREATED · ANTI SHOCK · RECYCLABLE · CE · IP66 · CLASS II DOUBLE INSULATION

1A1.000.F1R

SMART PACK AVAILABLE

SUPPLIED FULLY PRE-WIRED

2X GX53 LED	FILAMENT LED	CCT LED	E27	E27 + SENSOR
				 WITH SENSOR 220-240V (.ES7)

FRANCY LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
FILAMENT LED E27	6,5W	800 lm	100-240V 50/60 Hz	2700K	=60W INCANDESCENT
CCT SET LED E27	8,5W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
2x GX53 LED	2x3W 6W	820 lm (Φ TOTAL)	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

FRANCY



LED — E27 LAMP INCLUDED

E27		1A2.000.E27	SMART PACK
6,5W FILAMENT LED	2700K	1A1.000.F1R	
8,5W	CCT SET	1A1.000.V1K	



Standard Master box: ***24pcs***
Smart Pack Master box: ***42pcs***

FRANCY-OP

LED — LAMP INCLUDED

E27		2A2.000.E27	SMART PACK
E27		2A1.000.E27	SINGLE BOX
6,5W FILAMENT LED	2700K	2A1.000.F1R	
2x3W 6W	CCT SET	2A1.000.G2K	



Standard Master box: ***24pcs***
Smart Pack Master box: ***42pcs***

E27 AVAILABLE VERSIONS

FRANCY-OP E27 — SINGLE BOX



cbm: **0,14**
Master box: **24 pcs**

FRANCY/FRANCY-OP E27 — SMART PACK

SAVE 40% VOLUME

X 42

- Save **40%** volume
- ECO-friendly packaging
- Film wrapped items

cbm: **0,15**
Master box: **42 pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MINITOMMY
FLOODLIGHT

fumagalli® since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE
2700 K · 4000 K
SDCM < 3

MINITOMMY LED VERSIONS

	LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
MINITOMMY 1L	GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	= 35W HALOGEN
MINITOMMY 1L	GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	= 50W HALOGEN
MINITOMMY 2L	2X GU10 LED	2x 3,5W 7W	732 lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 35W HALOGEN
MINITOMMY 2L	2X GU10 LED	2x 6W 12W	1230 lm	100-240V 50/60 Hz	4000K/2700K	= 2 x 50W HALOGEN

AVAILABLE COLORS

COVER *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: FROSTED **(X)**, BLUE **(U)**, GREEN **(N)**, ORANGE **(R)**

	MINITOMMY		MINITOMMY SPIKE
3,5W	1M1.000.U1K	3,5W	1M1.001.U1K
6W	1M1.000.L1K	6W	1M1.001.L1K



Master box: **30pcs**



Master box: **30pcs**

	MINITOMMY-EL		MINITOMMY-EL SPIKE
3,5W	1M2.000.U1K	3,5W	1M2.001.U1K
6W	1M2.000.L1K	6W	1M2.001.L1K



Master box: **30pcs**



Master box: **30pcs**

	MINITOMMY 2L		MINITOMMY 2L SPIKE
2x 3,5W	3M1.000.U2K	2x 3,5W	3M1.001.U2K
2x 6W	3M1.000.L2K	2x 6W	3M1.001.L2K



Master box: **18pcs**



Master box: **18pcs**

	MINITOMMY-EL 2L		MINITOMMY-EL 2L SPIKE
2x 3,5W	3M2.000.U2K	2x 3,5W	3M2.001.U2K
2x 6W	3M2.000.L2K	2x 6W	3M2.001.L2K



Master box: **18pcs**



Master box: **18pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TOMMY
FLOODLIGHT

fumagalli since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP66 · CLASS II DOUBLE INSULATION

2M1.000

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

TOMMY CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

COVER (MOULDED COLOURS): BLACK (A), GREY (L), WHITE (W)

DIFFUSER: FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

	TOMMY-SQ		TOMMY-SQ SPIKE	
3W	5M1.000.G1K		3W	5M1.001.G1K
10W	5M1.000.D1K		10W	5M1.001.D1K



Master box: **18pcs**



Master box: **18pcs**

	TOMMY		TOMMY SPIKE	
3W	2M1.000.G1K		3W	2M1.001.G1K
10W	2M1.000.D1K		10W	2M1.001.D1K



Master box: **18pcs**



Master box: **18pcs**

	TOMMY-EL		TOMMY-EL SPIKE	
3W	2M2.000.G1K		3W	2M2.001.G1K
10W	2M2.000.D1K		10W	2M2.001.D1K



Master box: **18pcs**



Master box: **18pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
126 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TOMMY 2L
FLOODLIGHT

fumagalli since 1973

TOMMY 2L LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT
2x GX53 LED	2x10W 20W	2570 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT

AVAILABLE COLORS

COVER (MOULDED COLOURS): BLACK (A), GREY (L), WHITE (W)

DIFFUSER: FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

	TOMMY-SQ 2L	TOMMY-SQ 2L SPIKE
2x 3W	6M1.000.G2K	6M1.001.G2K
2x 10W	6M1.000.D2K	6M1.001.D2K



Master box: **8pcs** | Master box: **8pcs**

	TOMMY 2L	TOMMY 2L SPIKE
2x 3W	4M1.000.G2K	4M1.001.G2K
2x 10W	4M1.000.D2K	4M1.001.D2K



Master box: **8pcs** | Master box: **8pcs**

	TOMMY-EL 2L	TOMMY-EL 2L SPIKE
2x 3W	4M2.000.G2K	4M2.001.G2K
2x 10W	4M2.000.D2K	4M2.001.D2K



Master box: **8pcs** | Master box: **8pcs**

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

GERMANA
FLOODLIGHT

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

2N1.000

CCT SETTABLE

3000 K | 4000 K | 6500 K

SDCM <6

SUPPLIED FULLY PRE-WIRED

2x GX53 LED	E27	E27 + SENSOR

GERMANA LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT
2x GX53 LED	2x10W 20W	2570 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GERMANA

LED GX53 LAMP INCLUDED
CCT SET

E27	2N1.000.P27
2x3W 6W	2N1.000.G2K
2x10W 20W	2N1.000.D2K



Master box: ***18pcs***

GIOVA/GERMANA

LED GX53 LAMP INCLUDED
CCT SET

E27	2N1.702.P27
2x3W 6W	2N1.702.G2K
2x10W 20W	2N1.702.D2K



Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GIUSEPPE
FLOODLIGHT

fumagalli® since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

SUPPLIED FULLY PRE-WIRED

GX53 LED	GX53 LED + SENSOR	4x GX53 LED	2x E27	2x E27 + SENSOR
	WITH SENSOR (220-240V) 7W CCT (.ASK) 11W CCT (.BSK) 18W CCT (.ESK)			WITH SENSOR 220-240V (.ES8)

GIUSEPPE LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT
4x GX53	4x10W 40W	5160 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W HQI-SON

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GIUSEPPE

LED GX53 LAMP INCLUDED

CCT SET

2x E27	4P2.000.E28
7,2W	4P1.000.A1K
11,3W	4P1.000.B1K
17W	4P1.000.E1K
4x10W 40W	4P2.000.D4K



Master box: **10pcs**

GIOVA/GIUSEPPE

LED GX53 LAMP INCLUDED

CCT SET

2x E27	4P2.702.E28
7,2W	4P1.702.A1K
11,3W	4P1.702.B1K
17W	4P1.702.E1K
4x10W 40W	4P2.702.D4K



Master box: **10pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

ALDO

IN-GROUND / RECESSED

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP67 · CLASS II DOUBLE INSULATION

1L1.000.Z1L

ALDO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
G9 LED	1,7W	150 lm	100-240V 50/60 Hz	4000K
				3000K

AVAILABLE COLORS

COVER (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L), WHITE (W)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

ALDO





1,7W
4000K 1L0.000.Z1L
3000K 1L0.000.Z1R





ALDO 1L



1,7W
4000K 1L1.000.Z1L
3000K 1L1.000.Z1R





ALDO 2L



1,7W
4000K 1L2.000.Z1L
3000K 1L2.000.Z1R







ALDO SQUARE





1,7W
4000K 1L4.000.Z1L
3000K 1L4.000.Z1R







GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

CECI
IN-GROUND

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP67 · CLASS II DOUBLE INSULATION

1F2.000

CCT SETTABLE

2700 K · 4000 K

SDCM < 3

CECI 90 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	CCT SETTABLE	
GU10 LED	3,5W	366 lm	100-240V 50/60 Hz	4000K/2700K	=35W HALOGEN
GU10 LED	6W	615 lm	100-240V 50/60 Hz	4000K/2700K	=50W HALOGEN

AVAILABLE COLORS

BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)

CECI 90

CECI 90 · CECI 120 · CECI 160

LED GU10 LAMP INCLUDED · CCT SET

3,5W	1F1.000.U1K
6W	1F1.000.L1K



Master box: ***40pcs***

CECI 90-2L

CECI 90-2L · CECI 120-2L · CECI 160-2L

LED GU10 LAMP INCLUDED · CCT SET

3,5W	1F2.000.U1K
6W	1F2.000.L1K



Master box: ***40pcs***

CECI 90-3L

CECI 90-3L · CECI 120-3L · CECI 160-3L

LED GU10 LAMP INCLUDED · CCT SET

3,5W	1F3.000.U1K
6W	1F3.000.L1K



Master box: ***40pcs***

CECI 90-SQ

CECI 90-SQ · CECI 120-SQ · CECI 160-SQ

LED GU10 LAMP INCLUDED · CCT SET

3,5W	1F4.000.U1K
6W	1F4.000.L1K



Master box: ***40pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

fumagalli since 1973

AVAILABLE COLORS

COVER (MOULDED COLOURS)	DIFFUSER
BLACK (A), GREY (L)	FROSTED (X), BLUE (U), GREEN (N), ORANGE (R)



CE · IP67 · DOUBLE INSULATION CLASS · UV-TREATED · ANTI-SHOCK · RECYCLABLE

CECI 120 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT

CECI 120



CCT SET LED GX53 LAMP INCLUDED | 3W | 2F1.000.G1K



NEW VERSION CCT SETTABLE LAMP

Master box: **36pcs**

CECI 120-2L

CCT SET LED GX53 LAMP INCLUDED | 3W | 2F2.000.G1K



NEW VERSION CCT SETTABLE LAMP

Master box: **36pcs**

CECI 120-3L

CCT SET LED GX53 LAMP INCLUDED | 3W | 2F3.000.G1K



NEW VERSION CCT SETTABLE LAMP

Master box: **36pcs**

CECI 120-SQ

CCT SET LED GX53 LAMP INCLUDED | 3W | 2F4.000.G1K



NEW VERSION CCT SETTABLE LAMP

Master box: **36pcs**

fumagalli since 1973

CECI 160 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

CECI 160

CCT SET LED GX53 LAMP INCLUDED | 10W | 3F1.000.D1K



Master box: **18pcs**

CECI 160-2L

CCT SET LED GX53 LAMP INCLUDED | 10W | 3F2.000.D1K



Master box: **18pcs**

CECI 160-3L

CCT SET LED GX53 LAMP INCLUDED | 10W | 3F3.000.D1K



Master box: **18pcs**

CECI 160-SQ

CCT SET LED GX53 LAMP INCLUDED | 10W | 3F4.000.D1K



Master box: **18pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

NINA RANGE
BRICKLIGHT

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II INSULATION

NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**



NINA 150

CCT SET · LED R7s LAMP INCLUDED · **3,5W** · 6C1.000.J1K

Master box: ***50pcs***

NINA 190

CCT SET · LED R7s LAMP INCLUDED · **7,5W** · 7C1.000.K1K

Master box: ***50pcs***

NINA 270

CCT SET · LED R7s LAMP INCLUDED · **10,5W** · 8C1.000.P1K

Master box: ***30pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

LORENZA RANGE

BRIKLIGHIT

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP55 · CLASS II DOUBLE INSULATION

AS1.000.J1K

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

fumagalli since 1973

BRICKLIGHT

LORENZA RANGE

LORENZA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE
R7s LED	3,5W	365 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	7,5W	790 lm	100-240V 50/60 Hz	6500K/4000K/2700K
R7s LED	10,5W	1160 lm	100-240V 50/60 Hz	6500K/4000K/2700K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	CLEAR **(X)**

LORENZA 150

CCT SET · LED R7s LAMP INCLUDED · **3,5W** · AS1.000.J1K



Master box: ***24pcs***

LORENZA 190

CCT SET · LED R7s LAMP INCLUDED · **7,5W** · AS2.000.K1K



Master box: ***24pcs***

LORENZA 270

CCT SET · LED R7s LAMP INCLUDED · **10,5W** · AS3.000.P1K



Master box: ***14pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MADE IN ITALY

GARDEN MODERN

LETI RANGE
BRICKLIGHT

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP66 · CLASS II DOUBLE INSULATION

2C1.000

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

GX53 LED

LETI/EXTRALETI 100 ROUND

LETI/EXTRALETI 100 CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT

AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**

LETI 100 ROUND

CCT SET · LED 3W GX53 LAMP INCLUDED · 2C1.000.G1K



Master box: ***48pcs***

EXTRALETI 100 ROUND

CCT SET · LED 3W GX53 LAMP INCLUDED · 2S1.000.G1K



Master box: ***48pcs***

LETI 100 ROUND-GR

CCT SET · LED 3W GX53 LAMP INCLUDED · 2C2.000.G1K

Master box: ***48pcs***

EXTRALETI 100 ROUND-GR

CCT SET · LED 3W GX53 LAMP INCLUDED · 2S2.000.G1K



Master box: ***48pcs***

LETI 100 ROUND-EL

CCT SET · LED 3W GX53 LAMP INCLUDED · 2C3.000.G1K



Master box: ***48pcs***

EXTRALETI 100 ROUND-EL

CCT SET · LED 3W GX53 LAMP INCLUDED · 2S3.000.G1K

Master box: ***48pcs***

LETI 100 ROUND-ST

CCT SET · LED 3W GX53 LAMP INCLUDED · 2C4.000.G1K



Master box: ***48pcs***

EXTRALETI 100 ROUND-ST

CCT SET · LED 3W GX53 LAMP INCLUDED · 2S4.000.G1K



Master box: ***48pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

LETI/EXTRALETI 100 SQUARE

BRICKLIGHT

LETI/EXTRALETI 100 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	= 40W INCANDESCENT

AVAILABLE COLORS	
COVER (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	OPAL (Y)

LETI 100 SQUARE

CCT SET LED 3W GX53 LAMP INCLUDED

3C1.000.G1K



Master box: **48pcs**

EXTRALETI 100 SQUARE

CCT SET LED 3W GX53 LAMP INCLUDED

3S1.000.G1K



Master box: **48pcs**

LETI 100 SQUARE-GR

CCT SET LED 3W GX53 LAMP INCLUDED

3C2.000.G1K



Master box: **48pcs**

EXTRALETI 100 SQUARE-GR

CCT SET LED 3W GX53 LAMP INCLUDED

3S2.000.G1K



Master box: **48pcs**

LETI 100 SQUARE-EL

CCT SET LED 3W GX53 LAMP INCLUDED

3C3.000.G1K



Master box: **48pcs**

EXTRALETI 100 SQUARE-EL

CCT SET LED 3W GX53 LAMP INCLUDED

3S3.000.G1K



Master box: **48pcs**

LETI 100 SQUARE-ST

CCT SET LED 3W GX53 LAMP INCLUDED

3C4.000.G1K



Master box: **48pcs**

EXTRALETI 100 SQUARE-ST

CCT SET LED 3W GX53 LAMP INCLUDED

3S4.000.G1K



Master box: **48pcs**

LETI/EXTRALETI 200

BRICKLIGHT

LETI/EXTRALETI 200 CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT

AVAILABLE COLORS	
COVER (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	OPAL (Y)

LETI 200

CCT SET LED 3W GX53 LAMP INCLUDED

4C1.000.G1K



Master box: **36pcs**

EXTRALETI 200

CCT SET LED 3W GX53 LAMP INCLUDED

4S1.000.G1K



Master box: **36pcs**

LETI 200-GL

CCT SET LED 3W GX53 LAMP INCLUDED

4C2.000.G1K



Master box: **36pcs**

EXTRALETI 200-GL

CCT SET LED 3W GX53 LAMP INCLUDED

4S2.000.G1K

Master box: **36pcs**

LETI 200-RS

CCT SET LED 3W GX53 LAMP INCLUDED

4C3.000.G1K



Master box: **36pcs**

EXTRALETI 200-RS

CCT SET LED 3W GX53 LAMP INCLUDED

4S3.000.G1K



Master box: **36pcs**

LETI 200-HS

CCT SET LED 3W GX53 LAMP INCLUDED

4C4.000.G1K



Master box: **36pcs**

EXTRALETI 200-HS

CCT SET LED 3W GX53 LAMP INCLUDED

4S4.000.G1K



Master box: **36pcs**

LETI 200-VP

CCT SET LED 3W GX53 LAMP INCLUDED

4C5.000.G1K



Master box: **36pcs**

EXTRALETI 200-VP

CCT SET LED 3W GX53 LAMP INCLUDED

4S5.000.G1K



Master box: **36pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

LETI 300/EXTRALETI 300

BRICKLIGHT

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · IP66 · CLASS II DOUBLE INSULATION

5S1.000

NEW SLIMMER BODY VERSION

CCT SETTABLE

3000 K · 4000 K · 6500 K

SDCM <6

GX53 LED



LETI/EXTRALETI 300 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
2x GX53	2x 3W 6W	820 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=75W INCANDESCENT

AVAILABLE COLORS

COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 300

CCT SET · LED 3W GX53 LAMP INCLUDED

5C1.000.G2K

E27 5C1.000.E27

Master box: **24pcs**

EXTRALETI 300

CCT SET · LED 3W GX53 LAMP INCLUDED

5S1.000.G2K

Master box: **20pcs**

LETI 300-GL

CCT SET · LED 3W GX53 LAMP INCLUDED

5C2.000.G2K

E27 5C2.000.E27

Master box: **24pcs**

EXTRALETI 300-GL

CCT SET · LED 3W GX53 LAMP INCLUDED

5S2.000.G2K



Master box: **20pcs**

LETI 300-RS

CCT SET · LED 3W GX53 LAMP INCLUDED

5C3.000.G2K

E27 5C3.000.E27



Master box: **24pcs**

EXTRALETI 300-RS

CCT SET · LED 3W GX53 LAMP INCLUDED

5S3.000.G2K

Master box: **20pcs**

LETI 300-HS

CCT SET · LED 3W GX53 LAMP INCLUDED

5C4.000.G2K

E27 5C4.000.E27



Master box: **24pcs**

EXTRALETI 300-HS

CCT SET · LED 3W GX53 LAMP INCLUDED

5S4.000.G2K



Master box: **20pcs**

LETI 300-VP

CCT SET · LED 3W GX53 LAMP INCLUDED

5C5.000.G2K

E27 5C5.000.E27

Master box: **24pcs**



EXTRALETI 300-VP

CCT SET · LED 3W GX53 LAMP INCLUDED

5S5.000.G2K

Master box: **20pcs**



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

BERTINA
BULKHEAD

Ø200 BERTINA · Ø275 BERTA · Ø350 UMBERTA

fumagalli since 1973

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

MADE IN ITALY

BERTINA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53	3W	410 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=40W INCANDESCENT
GX53	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: OPAL **(Y)**

BERTINA

LED GX53 LAMP INCLUDED

CCT SET

3W	1B1.000.G1K
10W	1B1.000.D1K



Master box: ***45pcs***

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

GX53 LED-CCT SETTABLE

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

BERTA
BULKHEAD

Ø200 BERTINA | Ø275 BERTA | Ø350 UMBERTA

fumagalli® since 1973

MADE IN ITALY

UV-TREATED | ANTI-SHOCK | RECYCLABLE | CE | CB IECEE CB SCHEME | IP66 | CLASS II DOUBLE INSULATION

NO SCREWS AT SIGHT

1B2.000

CCT SETTABLE

2700 K | 4000 K | 6500 K

SDCM <6

SMART PACK AVAILABLE

SUPPLIED FULLY PRE-WIRED

E27	E27 +SENSOR	GX53 LED

WITH SENSOR 220-240V (.PS7)

BERTA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

BERTA

LED GX53 LAMP INCLUDED

CCT SET

E27	2B2.000.P27	SMART PACK
E27	1B2.000.P27	SINGLE BOX
7,2W LED	1B2.000.A1K	
11,3W LED	1B2.000.B1K	
17W LED	1B2.000.E1K	



Master box: ***16pcs***

BERTA - AVAILABLE VERSIONS

BERTA E27 SINGLE BOX

cbm: **0,19**
Master box: **16 pcs**

BERTA E27 SMART PACK

SAVE 21% VOLUME

- Save **21%** volume
- ECO-friendly packaging
- Film wrapped items

cbm: **0,15**
Master box: **16 pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

UMBERTA
BULKHEAD

Ø200 BERTINA · Ø275 BERTA · Ø350 UMBERTA

fumagalli since 1973

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

MADE IN ITALY

NO SCREWS AT SIGHT

1B3.000

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

SMART PACK AVAILABLE

SUPPLIED FULLY PRE-WIRED

E27	2X E27	GX53 LED	

UMBERTA CCT LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

UMBERTA

LED GX53 LAMP INCLUDED

CCT SET

E27	2B3.000.E27	SMART PACK
2x E27	2B3.000.E28	SMART PACK
E27	1B3.000.E27	SINGLE BOX
2x E27	1B3.000.E28	SINGLE BOX
11,3W LED	1B3.000.B1K	
17W LED	1B3.000.E1K	



Standard Master box: ***12pcs***
Smart Pack Master box: ***16pcs***

UMBERTA - AVAILABLE VERSIONS

UMBERTA E27 — SINGLE BOX



cbm: **0,19**
Master box: **12 pcs**

UMBERTA E27 — SMART PACK

SAVE 20% VOLUME

- ✓ Save **20%** volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

cbm: **0,21**
Master box: **16 pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

UMBERTA-EMERGENCY

BULKHEAD

fumagalli since 1973

EMERGENCY



CE IP66 DOUBLE INSULATION CLASS UV-TREATED ANTI-SHOCK RECYCLABLE

UMBERTA EMERGENCY - LED VERSIONS					
EMERGENCY KIT	MODE	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE
	NORMAL	15W	2000 lm	220-240V 50/60 Hz	4000K
	EMERGENCY (min 3 hours)	2,4W	250 lm	220-240V 50/60 Hz	4000K

UMBERTA LED MAINTAINED EMERGENCY

LED 4000K 1B3.000.EM1

PRODUCT TYPE	Wall and Ceiling bulkhead with Emegency kit
OPERATING VOLTAGE	220~240 vAC
LUMINOUS FLUX & POWER	**2000 lumen (Normal mode), 15W 250 lumen (Emergency mode), 2.4W**
LED TYPE	Edison SMD 2835, 4000 K
CRI	>80Ra
PF (POWER FACTOR)	>0.95
BEAM ANGLE	120°
OPERATING TEMPERATURE	0~50°C
BATTERY	Ni-MH, BK370Ah3.6V,Panasonic (3.5Ah,3.6V)
BATTERY OPERATING TIME	**min 3 hours (250 lumen)**
BATTERY CHARGING TIME	24 hours
Drivers Standards	EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22 EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3
Battery Standards	EN 5501-1, EN 61000, EN 55014-2



Provided with built-in test button to check battery status.

HOW IT WORKS
In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.





Green Led: identifies the emergency light and shows that the system is operating correctly.

fumagalli since 1973

BULKHEAD

UMBERTA - SENSOR

SENSOR



CE IP66 DOUBLE INSULATION CLASS UV-TREATED ANTI-SHOCK RECYCLABLE

UMBERTA CCT LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

UMBERTA MOTION & DAYLIGHT SENSOR

E27 WITH SENSOR	1B3.000.ES7
2x E27 WITH SENSOR	1B3.000.ES8
7,2W LED GX53 WITH SENSOR CCT SET	1B3.000.ASK
11,3W LED GX53 WITH SENSOR CCT SET	1B3.000.BSK
17W LED GX53 WITH SENSOR CCT SET	1B3.000.ESK

Product Type	Wall and Ceiling bulkhead with Motion&Daylight sensor
Sensor operating voltage	220~240 vAC (120v version available on demand)
Version	GX53 LED, E27, 2xE27
Sensor Operating Temperature	-10° +60°C
Detection angle	30° - 150°
Fields of detection	1 - up to 5 mt (adjustable)



E27 VERSION

2xE27 VERSION

GX53 LED VERSION

7,2W (920lm)
11,3W (1510lm)
17W (2350lm)
GX53 LED module

GELMI
BULKHEAD

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1G3.000

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

GELMI RANGE

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



GELMI



LED GX53 LAMP INCLUDED

CCT SET

Master box: **16pcs**

E27	1G3.000.E27
GX53 LED 7,2W	1G3.000.A1K
GX53 LED 11,3W	1G3.000.B1K
GX53 LED 17W	1G3.000.E1K

GELMI-EL





LED GX53 LAMP INCLUDED

CCT SET

Master box: **16pcs**

E27	2G3.000.E27
GX53 LED 7,2W	2G3.000.A1K
GX53 LED 11,3W	2G3.000.B1K
GX53 LED 17W	2G3.000.E1K

GELMI-GR



LED GX53 LAMP INCLUDED

CCT SET

Master box: **16pcs**

E27	3G3.000.E27
GX53 LED 7,2W	3G3.000.A1K
GX53 LED 11,3W	3G3.000.B1K
GX53 LED 17W	3G3.000.E1K

MADE IN ITALY

(12 Master Box per pallet)

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GARDEN MODERN

DANZI
BULKHEAD

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

1D3.000

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM < 6

DANZI RANGE

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



DANZI



LED GX53 LAMP INCLUDED · CCT SET

Master box: **16pcs**

E27	1D3.000.E27
GX53 LED 7,2W	1D3.000.A1K
GX53 LED 11,3W	1D3.000.B1K
GX53 LED 17W	1D3.000.E1K

DANZI-VE



LED GX53 LAMP INCLUDED · CCT SET

Master box: **16pcs**

E27	2D3.000.E27
GX53 LED 7,2W	2D3.000.A1K
GX53 LED 11,3W	2D3.000.B1K
GX53 LED 17W	2D3.000.E1K

DANZI-GR



LED GX53 LAMP INCLUDED · CCT SET

Master box: **16pcs**

E27	3D3.000.E27
GX53 LED 7,2W	3D3.000.A1K
GX53 LED 11,3W	3D3.000.B1K
GX53 LED 17W	3D3.000.E1K

MADE IN ITALY

(12 Master Box per pallet)

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

STUCCHI
BULKHEAD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

WITH SENSOR 220-240V (.ES7)

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1

RITA - STUCCHI - CECCHI

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

STUCCHI



LED GX53 LAMP INCLUDED · CCT SET

E27	1U3.000.E27
GX53 LED 7,2W	1U3.000.A1K
GX53 LED 11,3W	1U3.000.B1K
GX53 LED 17W	1U3.000.E1K

Master box: **16pcs**

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1

CECCHI



LED GX53 LAMP INCLUDED · CCT SET

E27	1H3.000.E27
GX53 LED 7,2W	1H3.000.A1K
GX53 LED 11,3W	1H3.000.B1K
GX53 LED 17W	1H3.000.E1K

Master box: **16pcs**

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1

RITA



LED GX53 LAMP INCLUDED · CCT SET

E27	1T3.000.E27
GX53 LED 7,2W	1T3.000.A1K
GX53 LED 11,3W	1T3.000.B1K
GX53 LED 17W	1T3.000.E1K

Master box: **12pcs**

MOULDED COLOURS

BLACK(A) · WHITE(W)

PAINTED COLOURS

To order the painted colour version of RITA, the following suffixes have to be added at the end of the code.

ANTIQUE GREEN(V) · ANTIQUE BRONZE(B)

MADE IN ITALY

(12 Master Box per pallet)

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

LUCIA
BULKHEAD

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION



CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM <6

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

SMART PACK AVAILABLE

NEW

SMART PACK *

- Save **21%** volume
- ECO-friendly packaging
- Film wrapped items

SAVE 21% VOLUME

cbm: **0,15**
Master box: **16 pcs**

fumagalli since 1973

BULKHEAD

LUCIA RANGE

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS): BLACK **(A)** · GREY **(L)** · WHITE **(W)**

DIFFUSER: OPAL **(Y)**



LED GX53 LAMP INCLUDED · CCT SET

NEW — SMART PACK *: E27 1R4.000.E27

	LUCIA		REMI/LUCIA
E27	1R3.000.E27	E27	1R3.602.E27
GX53 LED 7,2W	1R3.000.A1K	GX53 LED 7,2W	1R3.602.A1K
GX53 LED 11,3W	1R3.000.B1K	GX53 LED 11,3W	1R3.602.B1K
GX53 LED 17W	1R3.000.E1K	GX53 LED 17W	1R3.602.E1K



cbm: **0,19**
Master box: **16pcs**



Master box: **16pcs**

LED GX53 LAMP INCLUDED · CCT SET

NEW — SMART PACK *: E27 2R4.000.E27

	LUCIA-EL		REMI/LUCIA-EL
E27	2R3.000.E27	E27	2R3.602.E27
GX53 LED 7,2W	2R3.000.A1K	GX53 LED 7,2W	2R3.602.A1K
GX53 LED 11,3W	2R3.000.B1K	GX53 LED 11,3W	2R3.602.B1K
GX53 LED 17W	2R3.000.E1K	GX53 LED 17W	2R3.602.E1K



cbm: **0,19**
Master box: **16pcs**



Master box: **16pcs**



LED GX53 LAMP INCLUDED · CCT SET

NEW — SMART PACK *: E27 3R4.000.E27

	LUCIA-GD		REMI/LUCIA-GD
E27	3R3.000.E27	E27	3R3.602.E27
GX53 LED 7,2W	3R3.000.A1K	GX53 LED 7,2W	3R3.602.A1K
GX53 LED 11,3W	3R3.000.B1K	GX53 LED 11,3W	3R3.602.B1K
GX53 LED 17W	3R3.000.E1K	GX53 LED 17W	3R3.602.E1K



cbm: **0,19**
Master box: **16pcs**



Master box: **16pcs**

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

MADE IN ITALY

MADDI
BULKHEAD

fumagalli since 1973

MADE IN ITALY

UV TREATED · ANTISHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

CCT SETTABLE

2700 K · 4000 K · 6500 K

SDCM < 6

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1

SUPPLIED FULLY PRE-WIRED

GX53 LED	E27	E27 + SENSOR

WITH SENSOR 220-240V (.ES7)

SMART PACK AVAILABLE

NEW

SMART PACK *

- Save 21% volume
- ECO-friendly packaging
- Film wrapped items

SAVE 21% VOLUME

cbm: 0,15
Master box: 16 pcs

MADDI RANGE

fumagalli since 1973

LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	7,2W	920 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=60W INCANDESCENT
	11,3W	1510 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=100W INCANDESCENT
	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/2700K	=150W INCANDESCENT

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LED GX53 LAMP INCLUDED · CCT SET

NEW

SMART PACK *

E27 1V4.000.E27

MADDI

E27	1V3.000.E27
GX53 LED 7,2W	1V3.000.A1K
GX53 LED 11,3W	1V3.000.B1K
GX53 LED 17W	1V3.000.E1K



cbm: 0,19
Master box: 16pcs

REMI/MADDI

E27	1V3.602.E27
GX53 LED 7,2W	1V3.602.A1K
GX53 LED 11,3W	1V3.602.B1K
GX53 LED 17W	1V3.602.E1K



Master box: 16pcs



LED GX53 LAMP INCLUDED · CCT SET

NEW

SMART PACK *

E27 2V4.000.E27

MADDI-VE

E27	2V3.000.E27
GX53 LED 7,2W	2V3.000.A1K
GX53 LED 11,3W	2V3.000.B1K
GX53 LED 17W	2V3.000.E1K



cbm: 0,19
Master box: 16pcs

REMI/MADDI-VE

E27	2V3.602.E27
GX53 LED 7,2W	2V3.602.A1K
GX53 LED 11,3W	2V3.602.B1K
GX53 LED 17W	2V3.602.E1K



Master box: 16pcs



LED GX53 LAMP INCLUDED · CCT SET

NEW

SMART PACK *

E27 3V4.000.E27

MADDI-HL

E27	3V3.000.E27
GX53 LED 7,2W	3V3.000.A1K
GX53 LED 11,3W	3V3.000.B1K
GX53 LED 17W	3V3.000.E1K



cbm: 0,19
Master box: 16pcs

REMI/MADDI-HL

E27	3V3.602.E27
GX53 LED 7,2W	3V3.602.A1K
GX53 LED 11,3W	3V3.602.B1K
GX53 LED 17W	3V3.602.E1K



Master box: 16pcs

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

GIORGIO / ROSA

POST

UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP66 · CLASS II DOUBLE INSULATION

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(Y)**

AVAILABLE VERSIONS

GX53 LED	4x GX53	2x E27
LED GX53	LED GX53	CFL / LED

EKTOR / GIORGIO - ROSA

GIORGIO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	11,3W	1510lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W INCANDESCENT
GX53 LED	17W	2350 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=150W INCANDESCENT
4x GX53 LED	4x10W 40W	5160 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=100W HQI-SON

ROSA LED VERSIONS

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
GX53 LED	2x11,3W 22W	3020 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x100W INCANDESCENT
GX53 LED	2x17W 36W	4700lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x150W INCANDESCENT
GX53 LED	2x40W 80W	10320 lm	100-240V 50/60 Hz	6500K/4000K/3000K	=2x100W HQI - SON

EKTOR 2500 /GIORGIO

LED GX53 LAMP INCLUDED · CCT SET

E27	4P2.361.G10.E28
11,3W	4P1.361.G10.B1K
17W	4P1.361.G10.E1K
4x10W 40W	4P2.361.G10.D4K

EKTOR 2500 /ROSA

LED GX53 LAMP INCLUDED · CCT SET

2x E27	4P2.361.G20.E28
2x 11,3W	4P1.361.G20.B1K
2x 17W	4P1.361.G20.E1K
2x40W	4P2.361.G20.D4K





MADE IN ITALY

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

BEPPE 400/VIVI 400

POST

fumagalli® since 1973

MADE IN ITALY

U.V. UV-TREATED · ANTI-SHOCK · RECYCLABLE · CE · CB IECEE CB SCHEME · IP65 · CLASS II DOUBLE INSULATION

NEW HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C -30° · 90% HUMIDITY

VOLTAGE SURGE RESISTANT

30W (3620 lm)
50W (6550 lm)

More details at page 192

fumagalli® since 1973

POST

EKTOR / BEPPE-VIVI 400

BEPPE-VIVI 400 HIGH POWER LED

LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	COLOUR TEMPERATURE	
HIGH POWER LED E27	30W	3620 lm	100-240V 50/60 Hz	3000K/ 4000K	=70W HQI-SON
HIGH POWER LED E27	50W	6550 lm	100-240V 50/60 Hz	4000K 3000K	=70W HQI-SON

AVAILABLE COLORS

RESIN BODY *(MOULDED COLOURS)*: BLACK **(A)**, GREY **(L)**, WHITE **(W)**

DIFFUSER: CLEAR **(X)**, OPAL **(Y)**

EKTOR 2500 / BEPPE400

30W LED	CCT SET	P50.361.Q1K
50W LED	4000K	P50.361.H1L
	3000K	P50.361.H1R

HIGH POWER LED VERSION



EKTOR 2500 MIDIPILAR / VIVI400 1L

30W LED	CCT SET	V50.361.A10.Q1K
50W LED	4000K	V50.361.A10.H1L
	3000K	V50.361.A10.H1R

HIGH POWER LED VERSION



GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

FORTUNATO
for details see pag.183



BISSO/ROSETTA
for details see pag. 189

FELICE 200
for details see pag.185

FELICE 400
for details see pag.185

fumagalli®
since 1973

SOLAR

PROMO GARDEN 2023 - SOLAR RANGE

NEW
SOLAR MODERN
JOSEPHA

JOSEPHA 800
for details see pag.181

FIORINA
for details see pag.183

MINILOT/ROSETTA
for details see pag.189

JOSEPHA 160
for details see pag.181

TÜV CERTIFIED LED MODULES

fumagalli since 1973



SWITCH
- Long press + 5 sec.: for Mode selection
- Short press: for CCT selection

SOLAR PANEL
- Panel 2W/5V
- Monocrystaline
- Antishock material
- UV rays treated.
- Cover made in PET material granting antishock performances for outdoor use

MATERIAL
- **PC material** suitable for outdoor use
- **UV rays stabilized**
- **Anti shock**

3 WORKING MODE
- SUMMER MODE
- WINTER MODE
- SENSOR MODE

REPLACEABLE BATTERY
- Quick and easy battery replacement
- LiFePO4 IFR 26650 3,3Ah-3,2V
- No risk of explosion
- Working temperature -10° to +60°C



PIR SENSOR
- Detection angle **120°**
- Fields of detection up to **5m**
- Active for 25 sec.

LED
- Power absorption of the led plate 2,5W (at 100% light)
- LED chips connected by pure **gold wires** able to withstand at the highest and lowest temperatures and granting a **lumens maintenance factor > 80%**.
- SMD 3528 LED.

CCT SETTABLE
- Press the switch to select the desired Kelvin temperature (3000K, 4000K, 6500K) and get a customized ambiance.
- 3000K, 4000K and 6500K led chips on 3 separate circuits to grant SDCM < 6.

3000 K | 4000 K | 6500 K

LENS
- Frosted color lens reducing dazzle.
- Made of UV rays stabilized resin material to avoid yellowing process.
- Very compact and slim design for a better light distribution and for improving the light efficiency.

IECEE CB CERTIFICATE
SG PSB-LE-02677

fumagalli since 1973

SOLAR MODULE

SOLAR

3 WORKING MODE

SUMMER MODE 1 flash	WINTER MODE 2 flash	SENSOR MODE 3 flash	STAND BY MODE
15 % 42Lm / 100 % 280Lm for 25 sec.	7 % 20Lm / 100 % 280Lm for 25 sec.	OFF / 100 % 280Lm for 25 sec.	OFF
AUTONOMY **25h** (at fully charged battery)	AUTONOMY **46h** (at fully charged battery)	**423** SENSOR DETECTIONS (at fully charged battery)	NO WORKING TO PRESERVE THE BATTERY

CHARGING TIME 6h at 60.000 Lux (full sunny day)

REPLACEABLE BATTERY
- LiFePO4 IFR 26650 3,3Ah-3,2V
- No risk of explosion
- Working temperature -10° to +60°C
- Longer Lifetime

NO WIRES NEEDED

MOTION SENSOR
- PIR Sensor control
- Detection angle 120°
- Fields of detection up to 5mt
- Active for 25 sec.

120° 5mt.

CCT SETTABLE LED
- 3000K/4000K/6500K

3000 Kelvin | 4000 Kelvin | 6500 Kelvin

CRI >80

SDCM <6

SOLAR PANEL
- 5V/2W
- Monocrystaline PET type
- Antishock material

ANTI SHOCK

LVD | EMC | ERP

JOSEPHA
SOLAR MODERN

fumagalli since 1973

MADE IN ITALY

UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III

JS1.242.S1KOP2

REFLECTOR - OPTIONAL COLOURS

CLEAR	BLUE	GREEN
HX.SOL.RFL	HU.SOL.RFL	HN.SOL.RFL

JOSEPHA SOLAR

SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
SOLAR LED MODULE	3,3Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K

SOLAR

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			REFLECTOR (STANDARD VERSION)
BLACK (A)	GREY (L)	WHITE (W)	OPAL (.OP2)

JOSEPHA 160

SOLAR

JS1.114.S1KOP2
OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***18pcs***

JOSEPHA 800

SOLAR

JS1.242.S1KOP2
OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

FIORINA
SOLAR MODERN

FIORINA/FORTUNATO SOLAR				
SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
SOLAR LED MODULE	3,3Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K

SOLAR

AVAILABLE COLORS

RESIN BODY
(MOULDED COLOURS)

BLACK **(A)** GREY **(L)** WHITE **(W)**

FIORINA

SOLAR

FI1.542.S1K

SPIKE INSTALLATION



DUAL USE

GROUND INSTALLATION



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***6pcs***

FORTUNATO

SOLAR

FO1.000.S1K



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***12pcs***

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
GARDEN CLASSIC
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

FELICE
SOLAR MODERN

fumagalli® since 1973

MADE IN ITALY

SOLAR

UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III

REFLECTOR - OPTIONAL COLOURS

CLEAR	BLUE	GREEN
code: **HX.SOL.RFL**	**HU.SOL.RFL**	**HN.SOL.RFL**

FELICE SOLAR

SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
SOLAR LED MODULE	3,3Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K

SOLAR

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)			REFLECTOR (STANDARD VERSION)
BLACK **(A)**	GREY **(L)**	WHITE **(W)**	OPAL **(.OP2)**

FELICE 800

SOLAR FE1.575.S1KOP2 OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***4pcs***

FELICE 400

SOLAR FE1.574.S1KOP2 OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***12pcs***

FELICE 200

SOLAR FE1.573.S1KOP2 OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***18pcs***

FELICE 200 SPIKE

SOLAR FE1.572.S1KOP2 OPAL REFLECTOR



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***18pcs***

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

SANTINA
SOLAR MODERN

fumagalli since 1973

UV-TREATED · ANTI-SHOCK · CE · CB IECEE CB SCHEME · IP55 · INSULATION CLASS III

REFLECTOR - OPTIONAL COLOURS

CLEAR	BLUE	GREEN
code: **HX.SOL.RFL**	**HU.SOL.RFL**	**HN.SOL.RFL**

SANTINA SOLAR

SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
SOLAR LED MODULE	3,3Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)	REFLECTOR (STANDARD VERSION)
BLACK **(A)**	OPAL **(.OP2)**



SANTINA 800	SANTINA 500	SANTINA 300
SL1.257.S1KOP2 OPAL REFLECTOR	SL1.256.S1KOP2 OPAL REFLECTOR	SL1.255.S1KOP2 OPAL REFLECTOR



SANTINA 800 SPIKE	SANTINA 500 SPIKE	SANTINA 300 SPIKE
SL1.260.S1KOP2 OPAL REFLECTOR	SL1.259.S1KOP2 OPAL REFLECTOR	SL1.258.S1KOP2 OPAL REFLECTOR



10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN CLASSIC
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

ROSETTA
SOLAR CLASSIC

ROSETTA SOLAR

SOLAR MODULE	BATTERY LiFePO4	SOLAR PANEL	LUMINOUS FLUX	CCT SETTABLE
SOLAR LED MODULE	3,3Ah 3,2V REPLACEABLE BATTERY	5V/2W	max 280Lm	6500K/4000K/3000K

AVAILABLE COLORS

RESIN BODY	DIFFUSER
BLACK **(A)**	FROSTED **(F)**

BISSO/ROSETTA

R22.131.S1K



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***12pcs***

MINILOT/ROSETTA

R22.111.S1K



WORKING MODE 3 · SENSOR · CCT SET

Master box: ***12 pcs***

MIZAR/ROSETTA

R22.151.S1K



WORKING MODE 3 · SENSOR · CCT SET

IAFET/ROSETTA

R22.162.S1K

WORKING MODE 3 · SENSOR · CCT SET

GARDEN CLASSIC
10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
GARDEN MODERN
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TÜV CERTIFIED LED MODULES

OUTDOOR APPROVED

Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.

Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.

Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.

LVD TESTED	***LVD Certificate:*** *Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.*
EMC TESTED	***EMC Certificate:*** *Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.*
NEW ERP	***New ERP Attestation of conformity:*** *Fumagalli lamps fulfil the NEW European Ecodesign Directive EU 2019/2020, which sets stricter energy efficiency requirements, new verification tolerances and other factors such as bulb lifetime and warm-up time.*
CB IECEE CB SCHEME	***IECEE CB Certificate:*** *Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.*
RoHS REACH COMPLIANT	***RoHS REACH compliant:*** *Fumagalli lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendements and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).*

Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015

TÜV CERTIFIED LED MODULES

E27 LED A60- CCT SETTABLE

POWER		8,5 W	11 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	840 lm	1100 lm
	4000 K	920 lm	1200 lm
	6500 K	920 lm	1200 lm
SIZE & SOCKET			
VOLTAGE		100-240 V	100-240 V
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,5	>0,7
PSTLM (NO FLICKER)		< 1	< 1
SVM		< 0,4	< 0,4
CRI		> 80	> 80
SDCM		<6	<6
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		F	F
REF. CODE		H.LED.A60.CCT	H2.LED.A60.CCT

CCT SETTABLE 2700 K 4000 K 6500 K SDCM <6

INDOOR & OUTDOOR USE
-30 +80 °C
90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG F
FUMAGALLI S.R.L.
H.LED.A60.CCT
9 kWh/1000h

COMPLY WITH:
EU 2019/2015
EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE:
SG PSB-LE-03297

E27 LED FILAMENT A60

POWER		6,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	800 lm
SIZE & SOCKET		
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
CRI		> 80
SWITCHING CYCLE		>100.000
WARM UP TIME		≤ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H.LED.FIL.3K

INDOOR & OUTDOOR USE
-30 +80 °C
90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERG E
FUMAGALLI SRL
H.LED.FIL.3K(12)
7 kWh/1000h

COMPLY WITH:
EU 2019/2015
EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE:
SG PSB-LE-03735

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
GARDEN CLASSIC
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

TÜV CERTIFIED LED MODULES

E27 HIGH POWER LED

POWER		15 W	30W
LUMINOUS FLUX (Φ TOTAL)	3000 K	1545 lm	3325lm
	4000 K	1690 lm	3620 lm
SIZE & SOCKET		 E27	 E27
		NEW VERSION CCT SETTABLE LAMP	
VOLTAGE		100-240 V	100-240 V
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,7	>0,9
PSTLM (NO FLICKER)		<1	<1
SVM		0,4	0,4
CRI		> 80	> 80
SDCM		<6	<6
SWITCHING CYCLE		30.000	30.000
WARM UP TIME		< 0,5"	< 1"
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		F	E
REF. CODE		H3.LED.HIP.CCT	H2.LED.HIP.CCT

CCT SETTABLE: 3000 K – 4000 K, SDCM <6

SILICONE PROTECTION – DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

ENERG F – FUMAGALLI SRL – H2.LED.HIP.CCT – 30 kWh/1000h

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03835 SG PSB-LE-03834

E27 HIGH POWER LED

POWER		50 W		60W	
LUMINOUS FLUX (Φ TOTAL)	3000 K	5850 lm		6800 lm	
	4000 K	6550 lm		7600 lm	
SIZE & SOCKET		 E27		 E27	
VOLTAGE		100-240 V		100-240 V	
FREQUENCY		50/60 Hz		50/60 Hz	
DISPLACEMENT FACTOR		>0,9		>0,9	
PSTLM (NO FLICKER)		<1		<1	
SVM		0,4		0,4	
CRI		> 80		> 80	
SWITCHING CYCLE		30.000		30.000	
WARM UP TIME		< 1"		< 0,5"	
LIFETIME		25.000 h		25.000 h	
KELVIN		3000 K	4000 K	3000 K	4000 K
EFFICIENCY CLASS		E	E	E	E
REF. CODE		H.LED.HIP.3K	H.LED.HIP.4K	H4.LED.HIP.3K	H4.LED.HIP.4K

SILICONE PROTECTION – DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

ENERG E – FUMAGALLI SRL – H4.LED.HIP.CCT – 50 kWh/1000h

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03791 SG PSB-LE-03799

TÜV CERTIFIED LED MODULES

GU10 LED - CCT SETTABLE

POWER		3,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	329 lm
	4000 K	366 lm
SIZE & SOCKET		 GU10
LUMINOUS FLUX (Φ USE 90°)		260 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<3
BEAM ANGLE		43°
SWITCHING CYCLE		> 25.000
WARM UP TIME		≤ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H.LED.GU10.CCT

90% savings =35W halogen

CCT SETTABLE: 2700 K – 4000 K, SDCM <3

SILICONE PROTECTION – DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

ENERG F – FUMAGALLI S.R.L. – H.LED.GU10.CCT – 4 kWh/1000h

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-02300A1

GU10 LED - CCT SETTABLE

POWER		6 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	562 lm
	4000 K	615 lm
SIZE & SOCKET		 GU10
LUMINOUS FLUX (Φ USE 90°)		440 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
PSTLM (NO FLICKER)		<1
SVM		0,9
CRI		> 80
SDCM		<3
BEAM ANGLE		45°
SWITCHING CYCLE		> 25.000
WARM UP TIME		≤ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H2.LED.GU10.CCT

88% savings =50W halogen

CCT SETTABLE: 2700 K – 4000 K, SDCM <3

SILICONE PROTECTION – DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

ENERG F – FUMAGALLI S.R.L. – H2.LED.GU10.CCT – 6 kWh/1000h

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-02300A1

10 REVIVAL
28 GARDEN SMALL
GARDEN CLASSIC
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
GARDEN MODERN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
SOLAR
180 SOLAR MODERN
188 SOLAR CLASSIC
190 LAMPS

TÜV CERTIFIED LED MODULES

GX53 LED Ø75mm- CCT SETTABLE

POWER		**3 W**
LUMINOUS FLUX (Φ TOTAL)	3000 K	405 lm
	4000 K	410 lm
	6500 K	410 lm
SIZE & SOCKET		Ø75 / 20 / GX53
LUMINOUS FLUX (Φ USE 120°)		335 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
BEAM ANGLE		112°
SWITCHING CYCLE		> 30.000
WARM UP TIME		0s
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H.LED.G53.CCT

CCT SETTABLE: 3000 K 4000 K 6500 K — SDCM <6

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

ENERG E — 3 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03887

GX53 LED Ø100mm - CCT SETTABLE

POWER		**10W**
LUMINOUS FLUX (Φ TOTAL)	3000 K	1190 lm
	4000 K	1290 lm
	6500 K	1210 lm
SIZE & SOCKET		Ø100 / 37 / GX53
LUMINOUS FLUX (Φ USE 120°)		975 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
PSTLM (NO FLICKER)		< 1
SVM		0,4
CRI		> 80
SDCM		<6
BEAM ANGLE		112°
SWITCHING CYCLE		> 30.000
WARM UP TIME		0s
LIFETIME		25.000 h
EFFICIENCY CLASS		E
REF. CODE		H3.LED.G53.CCT

CCT SETTABLE: 3000 K 4000 K 6500 K — SDCM <6

SILICONE PROTECTION — DRIVER

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

ENERG E — 10 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03887

TÜV CERTIFIED LED MODULES

GX53 LED Ø180mm- CCT SETTABLE

POWER		**7,2 W**
LUMINOUS FLUX (Φ TOTAL)	2700 K	795 lm
	4000 K	920 lm
	6500 K	920 lm
SIZE & SOCKET		Ø183 / 32 / GX53
LUMINOUS FLUX (Φ USE 120°)		640 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
BEAM ANGLE (FWHM)		109°
SWITCHING CYCLE		> 30.000
WARM UP TIME		≤ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H6.LED.G53.CCT

CCT SETTABLE: 2700 K 4000 K 6500 K — SDCM <6

SILICONE PROTECTION — DRIVER

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

ENERG F — 8 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03936

GX53 LED Ø180mm- CCT SETTABLE

POWER		**11,3 W**	**17 W**
LUMINOUS FLUX (Φ TOTAL)	2700 K	1380 lm	2070 lm
	4000 K	1510 lm	2350 lm
	6500 K	1510 lm	2350 lm
SIZE & SOCKET		Ø183 / 32 / GX53	
LUMINOUS FLUX (Φ USE 120°)		1100 lm	1660 lm
VOLTAGE		100-240 V	100-240 V
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,7	>0,7
PSTLM (NO FLICKER)		<1	<1
SVM		0,4	0,4
CRI		> 80	> 80
SDCM		<6	<6
BEAM ANGLE (FWHM)		110°	108°
SWITCHING CYCLE		> 25.000	> 25.000
WARM UP TIME		≤ 0,5"	≤ 0,5"
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		E	E
REF. CODE		H4.LED.G53.CCT	H5.LED.G53.CCT

CCT SETTABLE: 2700 K 4000 K 6500 K — SDCM <6

SILICONE PROTECTION — DRIVER

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

ENERG E — 12 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

LVD EMC ERP

IECEE CB CERTIFICATE: SG PSB-LE-03936

10 REVIVAL
28 GARDEN SMALL
GARDEN CLASSIC
44 GARDEN MEDIUM
64 GARDEN LARGE
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
GARDEN MODERN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
180 SOLAR MODERN
SOLAR
188 SOLAR CLASSIC
190 LAMPS

TÜV CERTIFIED LED MODULES

fumagalli since 1973

R7s LED 78mm- CCT SETTABLE

SIZE & SOCKET: R7s — Ø22 — 78

CCT SETTABLE: 2700 K | 4000 K | 6500 K — SDCM <6

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

CE LVD EMC ERP

ENERG FUMAGALLI S.R.L. H7.LED.R7S.CCT — F — 4 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

POWER		3,5W
LUMINOUS FLUX (Φ TOTAL)	2700 K	325 lm
	4000 K	365 lm
	6500 K	365 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H7.LED.R7S.CCT

R7s LED 118mm- CCT SETTABLE

SIZE & SOCKET: R7s — Ø22 — 118

SILICONE PROTECTION — DRIVER

CCT SETTABLE: 2700 K | 4000 K | 6500 K — SDCM <6

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

CE LVD EMC ERP

ENERG FUMAGALLI S.R.L. H8.LED.R7S.CCT — F — 8 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

POWER		7,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	680 lm
	4000 K	775 lm
	6500 K	790 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,5
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H8.LED.R7S.CCT

R7s LED 189mm- CCT SETTABLE

SIZE & SOCKET: R7s — Ø22 — 189

SILICONE PROTECTION — DRIVER

CCT SETTABLE: 2700 K | 4000 K | 6500 K — SDCM <6

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

CE LVD EMC ERP

ENERG FUMAGALLI H9.LED.R7S.CCT — F — 11 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

POWER		10,5 W
LUMINOUS FLUX (Φ TOTAL)	2700 K	1000 lm
	4000 K	1130 lm
	6500 K	1160 lm
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
DISPLACEMENT FACTOR		>0,7
PSTLM (NO FLICKER)		<1
SVM		0,4
CRI		> 80
SDCM		<6
SWITCHING CYCLE		45.000
WARM UP TIME		⩽ 0,5"
LIFETIME		25.000 h
EFFICIENCY CLASS		F
REF. CODE		H9.LED.R7S.CCT

fumagalli since 1973

TÜV CERTIFIED LED MODULES

G9LED

INDOOR & OUTDOOR USE — -30 +80 °C — 90% HUMIDITY — VOLTAGE SURGE RESISTANT

ENERG FUMAGALLI S.R.L. H.LED.G09.3K — F — 2 kWh/1000h — 2019/2015

COMPLY WITH: EU 2019/2015 EU 2019/2020

TÜV SÜD — CE LVD EMC — CB ERP

IECEE CB SCHEME — IECEE CB CERTIFICATE: SG PSB-LE-02130

POWER		1,7 W
LUMINOUS FLUX (Φ TOTAL)	3000 K	150 lm
	4000 K	150 lm
SIZE & SOCKET		Ø23 — 31 — G9
VOLTAGE		100-240 V
FREQUENCY		50/60 Hz
PSTLM (NO FLICKER)		<1
SVM		0,9
CRI		> 80
SDCM		<6
SWITCHING CYCLE		>40.000
WARM UP TIME		⩽ 0,5"
LIFETIME		15.000 h
KELVIN	3000 K	4000 K
EFFICIENCY CLASS	F	F
REF. CODE	H.LED.G09.3K	H.LED.G09.4K

SOLAR MODULE - CCT SETTABLE

CCT SETTABLE SDCM <6: 3000 K | 4000 K | 6500 K

IECEE CB SCHEME — IECEE CB CERTIFICATE: SG PSB-LE-02677M1

TÜV SÜD — CE CB — LVD EMC ERP

SIZE	Ø160 — 40	
SUMMER MODE	LUMEN	42
	AUTONOMY	25h
WINTER MODE	LUMEN	20
	AUTONOMY	46h
SENSORE MODE	LUMEN	280
	ACTIVE TIME	25 sec
	N° Detections	423
SOLAR PANEL	5V/2W	
	Monocrystaline PET type	
	Antishock material	
CHARGING TIME	6h	
REPLACEABLE BATTERY	LiFePO4 IFR26650 3,3Ah, 3,2V	
	No Risk of explosion	
	Working temperature -10° to +60°C	
	Longer Lifetime	
PIR SENSOR	Detection angle 120°	
	Fields of detection up to 5 mt	
	Active for 25 sec.	
LED	3 CIRCUITS	SMD 3528
	COLOR RENDERING INDEX RA	> 80
	SDCM	< 6
	LIFETIME	30.000 h
	KELVIN SETTABLE	3000 K / 4000 K / 6500 K
REF. CODE	H.LED.SOL.CCT	

10 REVIVAL
28 GARDEN SMALL
44 GARDEN MEDIUM
64 GARDEN LARGE
GARDEN CLASSIC
80 HALF LANTERN
82 BOLLARD
88 BOLLARD
108 DOWNLIGHT
116 UP&DOWN
128 FLOODLIGHT
138 IN-GROUND
144 BRICKLIGHT
154 BULKHEAD
172 POST
GARDEN MODERN
180 SOLAR MODERN
188 SOLAR CLASSIC
SOLAR
190 LAMPS

LOOKING FOR SOMETHING ELSE?

GARDEN RANGE

PROJECT RANGE

TO SEE OUR COMPLETE COLLECTION

Ask for our NEW General Catalogue 2023
or visit our website at
www.fumagalli.it

1973 2023 50 YEARS

FUMAGALLI FACTORY

new offices

new exhibition area of 135 sqm

Assembly and Logistic department upgrade

new automated Vertical Warehouse

new warehouse & factory

RESIN MATERIAL ADVANTAGES

fumagalli® since 1973

CERTIFIED IQNet MANAGEMENT SYSTEM

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN **ITALY**

NO MAINTENANCE

ANTI-CORROSION

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

UV-RAY STABILIZED

CE | RECYCLABLE | UV TREATED | DOUBLE INSULATION | ANTI-SHOCK | TEMPERATURE (+90° / -60°) | ENERGY SAVING | RESIDENTIAL | PUBLIC

HOW TO READ THE CODE

DIFFUSER	STRUCTURE	SYSTEM	COLOUR OF THE STRUCTURE	COLOUR OF THE DIFFUSER	ELECTRIFICATION	VARIANT
IDENTIFIES THE DIFFUSER	IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)	IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT	IDENTIFIES THE COLOUR OF THE STRUCTURE **A** BLACK **W** WHITE **L** GREY	IDENTIFIES THE COLOUR OF THE DIFFUSER **X** CLEAR/FROSTED **Y** OPAL **Z** SMOKED **N** GREEN **R** ORANGE **U** BLUE	IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS	IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULKHEAD RANGE
1R3 .	**613** .	**X20** .	**A**	**Y**	**B1L**	**OR1**

1023

MADE IN ITALY

fumagalli®

since 1973

Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
E-mail italian.lux@fumagalli.it

www.fumagalli.it